



2023

# WET SOUNDS PRODUCT RESOURCE

PREMIUM HIGH PERFORMANCE AUDIO







# HIGH PERFORMANCE AUDIO

## THE WET SOUNDS STORY

Since the beginning, it has been Wet Sounds' mission to be the undisputed leader in high-performance marine audio products. Wet Sounds™ continues to push the level of performance with every product we bring to market; aspiring not only to meet, but to exceed our customers expectations. We have never followed the crowd, but rather seek to push the boundaries of what is possible through constant innovation and technological advancement. Our goal will never change – build the highest performance, element-proof audio products.

Wet Sounds is more than just an audio company; our products deliver emotion.





INDEX

History of Wet Sounds	4-5	AR-5 AUDIO ROOF	28-29
<b>SOURCE UNITS</b>		<b>SOUNDBARS</b>	
WS-MC-1	8	Stealth XT Series	30-31
WS-MC-20	9	Stealth Ultra HD Series	32
WS-MC-2	10	Stealth Surge Series	32
WS-MC-5	11	Stealth Core Series	33
<b>SOURCE UNIT ACCESSORIES</b>		<b>POWERED SUBWOOFERS</b>	33
WS-G2-CTR, WS-G2-TR	12	<b>AMPLIFIERS</b>	
WS-MC-TR, WS-MC-TR-MINI	13	Sinister Series	34
<b>TOWER SPEAKERS</b>		SYN-DX Series	34
REV 10/12 HD	14	HTX-Series	35
REV 410	15	Stealth STX Micro	35
REV8™, REV10™	16	<b>TALKBACK MIC, EQ</b>	36
ICON, RECON Pods	17	<b>BLUETOOTH CONTROLLERS</b>	37
<b>COAXIAL SPEAKERS</b>		<b>SEND/RECEIVE KITS</b>	37
ZERO Series	18-19	<b>GOLF CART ACCESSORIES</b>	38-39
REVO Series	20-21	<b>VENUE SERIES</b>	
RECON Series	22	HLCD Outdoor Speakers	40
<b>SURFACE MOUNT SPEAKERS</b>		In-Ceiling Shallow Mount	41
REV 5x7, REV 6x9	23	Landscape Spike	41
<b>SUBWOOFERS</b>		In-Ground Subwoofer	42
Zero Subwoofers	24	Amp System, Pro Package	43
RECON Subwoofers	25	<b>SHIVR COOLERS</b>	44-45
REVO 12 PSE	25	<b>Zero Sub Enclosures</b>	46
REVO FA/HP Subwoofers	26	<b>WET WIRE™</b>	47
REVO 12-XXX, 15-XXX	27	<b>SPEAKER SUITZ</b>	48
		<b>TOWER ADAPTERS</b>	49










# WS-MC-1



## WET SOUNDS MARINE MEDIA CENTER SYSTEM


Wet Sounds Media Center (**MC-1**) is an industry-leading, two-piece marine-grade, multi-zone source unit. This package includes the MC-MD main display/control center and the MC-BB, remotely-mounted processing unit. The MC-1 is customizable to store and control your favorite input sources with 4 audio preset zones. Set multiple volume levels for a variety of lifestyle environments, and add custom labels to the presets for quick-touch access while on the water.



### FEATURES INCLUDE:

- Adjustable Input Gain Levels
- Water-Resistant Rotary Control for IPX6 Intrusion Protection (MC-MD)
- Conformal Coated PC Board for IPX5 Intrusion Protection (MC-BB)
- Optional MC-TR Transom Remote
- Fully-Upgradeable Software & Firmware via USB Port
- Simple & Secure Pairing Bluetooth Profile for Android & iOS
- Displays Album Art from Connected Devices
- Playlist & Folder Browsing via BT or USB Connection
- Auxiliary Input, USB Input, Bluetooth® Streaming Input, Pandora, SiriusXM-Ready™
- Internal Power Amplifier: 4x50W, 2Ω Stable





- Marine-Grade AM/FM/Weather Band RDS Radio Digital Tuner
- Bluetooth® Streaming, Auxiliary Input, USB, Pandora, & SiriusXM-Ready™
- Bluetooth, A2DP Only, AVRCP 1.3, APTX 
- 5" Ultra-Bright TFT Display/Controller
- Day/Night Illumination
- 4-Zone Output with 4V signal output



# WS-MC-20

## 2 ZONE NMEA COMPATIBLE MEDIA RECEIVER

The **WS-MC-20** Compact 2-Zone SiriusXM-Ready™ Media Receiver provides a great solution for those who need to install a receiver in smaller and tighter spaces - all while maintaining the ability to provide Wet Sounds unmatched sound quality. Enjoy AM/FM/Weather Band, Bluetooth® Audio, SiriusXM-Ready™ (requires SiriusXM Connect Tuner and Subscription Package, Sold Separately) and NMEA connectivity with optional interface accessory. Now, by connecting your back-up camera to the MC-20 via the video input so you can always be aware of your surroundings.



### FEATURES INCLUDE:



- AM/FM/Weather Band Tuner with RBDS
- Bluetooth® Streaming, Auxiliary, & USB Inputs
- SiriusXM-Ready™ (SiriusXM Connect Tuner and Subscription sold separately)
- Simple & Secure Bluetooth® Pairing for Android & iOS (A2DP/AVRCP 1.4)
- 3" Ultra Bright Full Color TFT Display – Displays Album Art via Compatible Devices
- Internal Power Amplifier 4x50W @ 2Ω Max Output
- Preamp Outputs x3: Front, Rear & Switchable, Zone 2 or Subwoofer Output w/ Level Control

- Independent Volume Control for Secondary Zone – Full Range or Subwoofer w/ Selectable LP Crossover 60/80/100Hz. LP Crossover Slope Selectable at 12dB or 24dB per Octave
- Reverse Camera Video Input with Reverse Trigger
- NMEA 2000® Connectivity (WS-G2-NEMA-20 required)
- Day/Night Illumination & Dimming
- Accepts the Optional WS-G2-CTR Transom Remote & WS-G2-TR Transom Remote
- Optional Flush Mount Bezel



# WS-MC-2

## WET SOUNDS DIGITAL MARINE RECEIVER



Following the success of our MC-1, we developed a unit that will work off the road or on the water! The **MC-2** Digital Media Receiver, with 2.7" full-color display, is designed to be a solution for installing a high-quality receiver in smaller and tighter space, while still maintaining Wet Sounds' unmatched sound quality and durability.



- 2.7" Full-Color TFT Display
- AM/FM/WB Digital Tuner
- Auxiliary Input (3.5 mm)
- Day/Night Illumination & Dimming
- Bluetooth® Audio Streaming, Auxiliary, USB, Pandora Inputs & SiriusXM-Ready™
- USB Input with iPhone Connectivity, Charging and MP3 Capability

### FEATURES INCLUDE:



- Internal Power Amplifier 4x50W @ 2Ω Max Output
- 7-Band Equalization
- Adjustable Input Gains for all Inputs
- Compatible with Optional MC-TR Transom Remote
- Built-in Crossovers: HPF for Front & Rear, LPF for Zone 2
- SiriusXM-Ready™
- Front & Rear Preamp Outputs with Fading Capability
- Simple & Secure Bluetooth Pairing for Android & iOS (A2DP/AVRCP 1.4)
- Playlist & Folder Browsing via BT or USB Connection with Compatible Devices
- Front-Panel Mounted Independent Secondary-Zone Control – Full Range or Subwoofer



# WS-MC-5


## WET SOUNDS AM/FM DIGITAL TUNER

Introducing the newest receiver to the Wet Sounds lineup, the **WS-MC-5** AM/FM receiver with Bluetooth®. Enjoy your favorite music with Bluetooth®, AM/FM Radio or a 3.5 mm auxiliary input. The WS-MC-5 is the perfect introduction into Wet Sounds' media center product line, sharing the same compact design as the MC-2 which allows the MC-5 to be the perfect solution for any marine or powersports application.



### FEATURES INCLUDE:

- AM/FM Digital Tuner
- Bluetooth® Streaming, Auxiliary Input
- 2.7" LCD Display
- 50W x 4 @ 2Ω Internal Amplifier
- Front & Rear Preamp Outputs w/ Fading Capability
- Front Panel Mounted Independent Secondary Zone Control - Full Range or Subwoofer
- Day/Night Illumination & Dimming
- Bluetooth® Pairing for Android & iOS






# WS-G2-CTR & WS-G2-TR




## WIRED TRANSOM REMOTE

Compatible with the Wet Sounds WS-MC-20, the compact G2 Transom Remotes allow remote control over the audio system. The **WS-G2-CTR** features a 3" color display, and allows full control of the WS-MC-20 source unit. The **WS-G2-TR** was designed for installation in tighter spaces and can control Volume, Play/Pause, Source/Track Selection and Seek functions.



### FEATURES INCLUDE:

- Full Control of WS-MC-20
- 3" Color Display
- 13-Pin DIN cable connection to WS-MC-20
- IPX6 Rating - pending



### FEATURES INCLUDE:

- Master Volume Control
- Source Select
- Song Selection
- System Power
- Seek Functions
- Optional Flush mounting system
- IPX6 Rating - pending
- 13-Pin DIN cable connection to WS-MC-20



WS-G2-TR

# MC-TR


## TRANSOM/AUXILLARY REMOTE FOR MC-1 & MC-2

With the Wet Sounds transom remote connected to your MC-1 marine media center or your MC-2, you can control your entertainment from the bow or your swim deck. It connects to the MC-1/MC-2 via the included 23' MC-TR EXT cable, and gives you the ability to adjust volume and choose audio sources when you're nowhere near the main display.



### FEATURES INCLUDE:

- Up to 50' distance from MC-BB (with additional MC-TR-EXT cable)
- Source, Playback and Volume Controls
- Single-Line LCD Display
- Volume – Main level and each Zones individually
- Connects to the MC-BB via the supplied 23' cable
- Allows control of radio, Bluetooth, Pandora & AUX



### OPTIONAL ADD-ONS:

- MC-TR Y-Cable: Connects up to 2 MC-TR units to an MC-1 or MC-2
- Additional MC-TR EXT 23' Extension cable for extended mounting distance

# MC-TR-MINI



## TRANSOM/AUXILLARY REMOTE

The **MC-TR-MINI** provides remote control of your audio system when combined with the Wet Sounds MC-5 Media Center. Remote functions include source change, volume control, track selection, play, and pause. Connect this compact, IPX7 rated marine remote with the included 25' 3.5 mm AUX cable and mount it on any desired location. Software update and MC-TR-MINI-ADP adaptor cable required for use with Wet Sounds MC-1 and MC-2 media centers.



MC-TR-MINI-ADP

- 3.5 mm DIN Adapter (Sold Separately)



### FEATURES INCLUDE:

- IPX7 Certified marine grade construction
- Compact size; Easy mounting





# REV 10/12 HD SERIES



TOWER SPEAKERS

The **REV 10 HD** and **REV 12 HD** Horn Loaded Compression Driver (HLCD) Tower Speakers have been optimized with audio clarity and high performance at their core. They both feature a Pro-Axial HLCD driver paired with an advanced polymer composite cone for audio clarity and durability. The thermoformed Santoprene™ rubber surround, matched with the injection molded reinforced enclosure, ensures optimal listening in any marine setting.



• Available Grille Options - In Black or White

Tech Spec.	REV HD 10"	REV HD 12"
Power RMS / Peak	300W / 600W	400W / 800W
Impedance (Ohms)	4Ω	4Ω
Frequency Response	66Hz - 20kHz	58Hz - 20kHz
Sensitivity @ 1W/m	91dB	91dB
Hang Height	12.42"	13.36"
Hang Weight	14.33 lbs	19.84 lbs




### FEATURES INCLUDE:

- Integrated Front & Rear RGB LED Rings
- Rigid PHGS Composite Cones
- HTPR Surround Suspension System
- High Output Horn Loaded Compression Driver
- Reinforced Nomex Aramid Spider
- Stainless Steel Hardware

# REV 410 HLCD

TOWER SPEAKERS

Our **REV 410** is a part of the Wet Sounds Revolution Series, which uses our proprietary REV TEC™ technology. Unlike conventional designs, REV TEC technology provides remarkable volume and clarity, along with incredible, full-range sound quality at long distances - both on and off axis. Our REV TEC design features enhanced mid-bass response at all volume levels, along with smooth frequency-response for amazing near-field and wake-range sound quality. Available in Gloss Black and Gloss White with UV inhibitors.



Tech Spec.	REV 410
Power RMS / Peak	400W / 800W
Impedance (Ohms)	4Ω
Frequency Response	20Hz - 20kHz
Sensitivity @ 1W/m	92dB
Hang Height	12.42"
Hang Weight	36.2 lbs

### FEATURES INCLUDE:

- Dual 10" Kevlar re-inforced EFG™ Drivers
- High Output Horn Loaded Compression Driver with Titanium Diaphragm
- Re-inforced Conex™ Spider
- Polyurethane Surround, Providing Protection from Ultra Violet Exposure and Moisture.
- Stainless Steel Hardware

### OPTIONAL ADD-ONS:

- RGB LED Rings (LED KIT REV10-RGB)
- Translucent Grilles (REV 10 TRANSLUCENT GRILLE)
- 6-pin Connector (ADP TC3-S 6-PIN) for use with RGB

### OPTION:





# REV SERIES REV 8"/10" HLCD

## TOWER SPEAKERS



The Revolution Series continues with our **REV 8 & 10 HLCD** tower speakers, using our proprietary REV TEC™ technology. Unlike conventional designs, REV TEC technology provides remarkable volume and clarity, along with incredible, full-range sound quality at long distances - both on and off axis. The REV TEC design allows our REV series speakers to clearly project your favorite music up to 80 feet and beyond, without any loss of detail. Available in Gloss Black and Gloss White pairs.



### FEATURES INCLUDE:

- Kevlar reinforced EFG™ cone woofers with polyurethane surround
- Pro-Axial™ Driver - Coaxially mounted Titanium Diaphragm High Output

Tech Spec.	REV8	REV10
Power RMS / Peak	200W / 400W	300W / 600W
Impedance (Ohms)	4Ω	4Ω
Frequency Response	20Hz - 20kHz	20Hz - 20kHz
Sensitivity @ 1W/m	92dB	92dB
Hang Height	11.74"	13.91"
Hang Weight	13 lbs	15 lbs



# RECON SERIES PODS


## TOWER SPEAKERS

The RECON 6 was specially designed for use with Wet Sounds STX micro amplifiers. The RECON Pods come with an integrated 360-degree clamp which allow for sturdy, tubular mounting on bars up to 2" diameter and can also be configured for surface mounting. The RECON 6 PODs all come with multi-color RGB's. Available in black and white pairs, with 3 grille options.



Clamp can be configured for pipe or surface mounting!

Tech Spec.	RECON 6 PODS
Power RMS / Peak	60W / 120W
Impedance (Ohms)	4Ω
Frequency Response	40Hz - 20kHz
Sensitivity @ 1W/m	89dB
Hang Height	8.60" (max)
Hang Weight	4.2 lbs



### FEATURES INCLUDE:

- Integrated 360-degree Swivel Clamp
- Fits up to a 2" Round Bar
- Adjustable Housing Ring to Mount Grille at Any Angle
- 2-Way Component-Style Coaxial w/ Aluminum Dome Tweeter
- Injection-Molded Composite Cone with Santoprene™ Surround


# ICON SERIES ICON 8

## TOWER SPEAKERS

Available in Gloss Black and Gloss White pairs.

The ICON Series is an extreme-performance tower speaker designed for those craving a full range, deep, mid-bass sound & clean, detailed highs in a smaller enclosure. The ICON 8 utilizes an 8" C<sup>3</sup> (Continuous Curved Cone) mid-bass driver, with a grille-mounted, 1" Titanium tweeter.

Tech Spec.	ICON 8
Power RMS / Peak	150W / 300W
Impedance (Ohms)	4Ω
Frequency Response	20Hz - 20kHz
Sensitivity @ 1W/m	92dB
Hang Height	11.73"
Hang Weight	6.6 lbs





# ZERO COAXIAL SPEAKERS

MOTORCYCLE/POWERSPORTS/MARINE

ZERO Series is a first of its kind innovation for Wet Sounds, taking the legendary REV tower speaker performance and reimagining it for optimal use in more confined spaces. These speakers can also be used with or without a twist-lock grille, making them ideal for both custom and OEM replacement applications.



ZERO

NEW FOR  
2023

FEATURES INCLUDE:

- Twist-lock grille hides mounting hardware
- Incorporated motor heatsink
- Install with or without grille
- Oversized Neo motors for high power-handling
- Horn-loaded tweeter
- Designed for outdoor performance



ZERO 6 XZ-W

ZERO 8 XZ-B



Tech Spec.	ZERO 6	ZERO 8
Power RMS / Peak	100W / 200W	150W / 300W
Impedance (Ohms)	4Ω	4Ω
Frequency Response	65Hz - 20kHz	55Hz - 20kHz
Sensitivity @ 1W/m	90dB	91.5dB
Mounting Depth	2.72"	3.32"
Hole Cut Out	5.63"	7.36"

NEW  
XY Yacht Grille

NEW FOR  
2024



ZERO 6 XY-W

ZERO 8 XY-W

ZERO MOUNTING DEPTH COMPARISON



ZERO 6

REV0 6

ZERO 8

REV0 8

# ZERO SERIES 6X9

MOTORCYCLE/POWERSPORTS/MARINE

ZERO Series 6x9 coaxial speakers were designed using the same unique features from the ZERO 6 & ZERO 8 coaxial speakers. Composed of a high-strength Nylas™ composite frame, Rigid PMGS composite cone, and horn-loaded tweeter to ensure superior strength and durability versus conventional speaker materials. Available in Gloss Black and Gloss White.



ZERO 6x9 XZ-B

ZERO 6x9 XZ-W

NEW FOR  
2024



# ZERO SERIES 5X7


MOTORCYCLE/POWERSPORTS/MARINE

Utilizing the same rugged construction as it's big brother, the ZERO Series 5x7 coaxial speakers were designed to fit in tight applications where a 6x9 is just too big. ZERO 57 XZ-B is a grille-less design, perfect for OEM type applications. Only Available in Black.



ZERO 57 XZ-B

ZERO 5x7 - ZERO 6x9 MOUNTING DEPTH



ZERO 5x7

ZERO 6x9

Tech Spec.	ZERO 5x7	ZERO 6x9
Power RMS / Peak	100W / 200W	150W / 300W
Impedance (Ohms)	4Ω	4Ω
Frequency Response	65Hz - 20kHz	55Hz - 20kHz
Sensitivity @ 1W/m	90dB	91.5dB
Mounting Depth	2.51"	3.22"
Hole Cut Out	7.29" x 5.03"	8.62" x 5.75"



REVO COAXIAL SPEAKERS

REVO COAXIAL SPEAKERS

COAXIAL SPEAKERS

COAXIAL SPEAKERS

The best Wet Sounds coaxial speaker yet! The REVO series coaxial speakers are designed to provide superior sound quality with amazing mid-bass and clarity at high volume. Wet Sounds REVO series speakers feature the only Santoprene™ spider in the industry - impervious to water saturation and dry rot. REVO coaxial speakers also include RGB lighting for endless color options. Available in Black and White pairs with 8 different grille options.



Grilles Available in 8 Styles



X5-B-55



X5-W-55



X5-G-55



X5-S



SW-B



SW-W



XW-B




XW-W

FEATURES INCLUDE:


- RGB LED Tweeter Glow Kit included - choose your own custom color options
- Wet Sounds exclusive Nylas, high stiffness composite frame available in 6.5", 8" and CX 10"
- Industry's only Santoprene™ spider - impervious to water saturation and dry rot




Tech Spec.	REVO 6	REVO 8	REVO CX10
Power RMS / Peak	100W / 200W	150W / 300W	350W / 700W
Impedance (Ohms)	4Ω	4Ω	2Ω
Frequency Response	40Hz - 20kHz	35Hz - 20kHz	35Hz - 20kHz
Sensitivity @ 1W/m	90dB	92dB	90dB
Mounting Depth	3.3"	3.95"	4.72"
Hole Cut Out	5"	7.1"	9.45"



REVO 6



REVO 8



REVO CX10



# RECON COAXIALS

COAXIAL SPEAKERS

The RECON Series will add great sound, and great style to your marine or powersports vehicle. Specifically designed for low power applications, featuring a full rubber Santoprene™ spider & surround suspension system, a light weight Nylas™ Nylon/Fiberglass Frame, as well as an injection-molded composite cone and high-output dome tweeter to give you the ultimate sound experience at a budget friendly price.



RECON  
SERIES

RECON 6



RECON 6-S RGB



RECON 6 XW-W RGB



RECON 6-BG RGB

RECON 5



RECON 5-S

RECON 8



RECON 8-S RGB



RECON 8 XW-W RGB



RECON 8-BG RGB



DESIGNED FOR POWERSPORTS ENTHUSIAST

Tech Spec.	RECON 5	RECON 6	RECON 8
Power RMS / Peak	50W / 100W	60W / 120W	70W / 140W
Impedance (Ohms)	4Ω	4Ω	4Ω
Frequency Response	40Hz - 20kHz	40Hz - 20kHz	45Hz - 20kHz
Sensitivity @ 1W/m	89dB	89dB	89dB
Mounting Depth	2.56"	2.42"	3.46"
Hole Cut Out	4.79"	4.92"	7.08"

### RECON COAXIAL MOUNTING DEPTH



# REV 6X9 | REV 5X7

SURFACE MOUNTABLE ROTO-MOLD ENCLOSURE & GRILLE

The REV Surface Mount Enclosure is a Horn-Loaded Compression Driver (HLCD) enclosed in a durable, Roto-Molded, marine-grade surface mountable housing. This High-Output, compression-driven speaker delivers amazing sound throughout any application. Offered in both a 5x7 white housing and 6x9 with black or white housing, The REV surface mountable enclosures are a perfect under-gunnel fit, with full-range speakers for offshore and large scale boats. Sold in pairs.

SURFACE MOUNT  
SPEAKERS


Black Version:  
REV 6X9 SM-B






White Version:  
REV 6X9 SM-W

Tech Spec.	REV 5x7	REV 6x9
Power RMS / Peak	75W / 150W	150W / 300W
Impedance (Ohms)	6Ω	4Ω
Frequency Response	100Hz - 20kHz	20Hz - 20kHz
Sensitivity @ 1W/m	90dB	90dB
Hang Weight	7.8 lbs.	10.6 lbs.

REV 5x7



REV 6x9





# ZERO SUBWOOFERS

MOTORCYCLE/POWERSPORTS/MARINE

Wet Sounds has developed a new subwoofer engineered specifically for delivering incredible bass performance in small, sealed enclosures. The parameters have been fine-tuned for "that sound" that everyone is looking for. It does it all while still retaining a mounting depth shallower than our traditional REVO subwoofers. These speakers can also be used with or without a twist-lock grille, making them ideal for both custom and OEM replacement applications.




Z | E  
R | O

### FEATURES INCLUDE:

- Shallow Mount Design
- Composite Injection Molded Frame
- Twist-Lock Grilles hides mounting hardware
- Install with or without grille
- Optimized for the demanding environments
- Black & white version available

### ZERO MOUNTING DEPTH COMPARISON



Tech Spec.	ZERO 10	ZERO 12
Power RMS / Peak	300W / 600W	400W / 800W
Impedance (Ohms)	4Ω	4Ω
Frequency Response	30Hz - 2kHz	25Hz - 2kHz
Sensitivity @ 1W/m	84.5dB	85.9dB
Mounting Depth	3.57"	3.72"
Hole Cut Out	9.24"	11.14"



## ZERO SUB ENC

ROTO-MOLD ENCLOSURE FOR ZERO SUBWOOFERS

Innovation at its core, the **ZERO SUB ENC** boasts a rugged roto-mold design, engineered to withstand the beat of your favorite tunes. ZERO enclosures can be mounted in multiple orientations thanks to its versatile design.

NEW FOR  
2024



see more on pg. 46

**ZERO 10 ENC**  
**Width:** 14" (355.60 mm)  
**Length:** 18" (457.20 mm)  
**Height Front:** 5.71" (145.03 mm)  
**Height Rear:** 8.81" (223.77 mm)

**ZERO 12 ENC**  
**Width:** 14" (355.60 mm)  
**Length:** 28" (711.20 mm)  
**Height Front:** 5.71" (145.03 mm)  
**Height Rear:** 8.81" (223.77 mm)

# RECON SERIES SUBWOOFERS

10" SUBWOOFER

Introducing the RECON 10-inch subwoofer. The RECON 10 is optimized for infinite baffle-free air applications and designed to achieve maximum performance without requiring a tuned enclosure. Perfect for mounting under a seat and utilizing the cargo area as its enclosure. The RECON subwoofer utilize a Nylas composite frame, with an injection-molded composite cone and the Wet Sounds' signature Santoprene™ Spider. Bass made simple! Available with a Silver or Black RECON Grille or a White XW Grille to match any application.




**RECON 10**  
**POWER (W):** 200/400 (RMS/Peak)  
**IMPEDANCE:** 4Ω  
**FREQ. RESPONSE:** 40Hz - 20kHz  
**SENSITIVITY:** 89dB @ 1W/m

## REVO 12 PSE

REVO 12" PASSIVE SUBWOOFER ENCLOSURE

Time to take bass to the next level with the REVO 12 PSE. Utilizing our REVO 12 HP Subwoofer and 12" REVO Passive Radiator, this enclosure operates on the same principle as a ported enclosure while remaining sealed. The compact rotomolded enclosure comes pre-wired with weather proof speakers and RGB connections (Sub RGB kit sold separately). The enclosure mounts in various positions to meet any application, with quick-release mounts that simplify installation and removal.




Available with 8 different grille options.



# REVO SUBWOOFERS

MARINE SUBWOOFER FA/HP

For a complete audio experience, you cannot forget the bass! We have created what we believe to be the best marine-grade subwoofer on the market. The REVO series subwoofers utilize our exclusive Santoprene™ Spider to eliminate any saturation or dry rot, making them the perfect choice for your marine application. Available in 8", 10", and 12" options.



### REVO 8 SUBWOOFER

FA S4 8 inch Free Air Marine Subwoofer  
**POWER (W):** 200/400 (RMS/Peak)  
**IMPEDANCE:** 4Ω  
**FREQ. RESPONSE:** 20Hz - 500Hz  
**SENSITIVITY:** 88dB @ 1W/m  
**DIAMETER:** 8.89" w/ grille  
**MOUNTING DEPTH:** 4"

### REVO 10 FA SUBWOOFER

S2/S4 10 inch Free Air Marine Subwoofer  
**POWER (W):** 300/600 (RMS/Peak)  
**IMPEDANCE:** 2Ω or 4Ω  
**FREQ. RESPONSE:** 20Hz - 500Hz  
**SENSITIVITY:** 88dB @ 1W/m  
**DIAMETER:** 11.02" w/ grille  
**MOUNTING DEPTH:** 4.72"

### REVO 10 HP SUBWOOFER

S4 10 inch **HIGH POWER** Marine Subwoofer  
**POWER (W):** 400/800 (RMS/Peak)  
**IMPEDANCE:** 4Ω  
**FREQ. RESPONSE:** 20Hz - 500Hz  
**SENSITIVITY:** 88dB @ 1W/m  
**DIAMETER:** 11.02" w/ grille  
**MOUNTING DEPTH:** 4.72"

Available with 8 different grille options



### REVO 12 HP SUBWOOFER

S4 12" **HIGH POWER** Marine subwoofer  
**POWER (W):** 500/1000 (RMS/Peak)  
**IMPEDANCE:** 4Ω  
**FREQ. RESPONSE:** 20Hz - 500Hz  
**SENSITIVITY:** 88dB @ 1W/m  
**DIAMETER:** 12.6" w/ grille  
**MOUNTING DEPTH:** 4.92"

### REVO 12 FA SUBWOOFER

S2/S4 12" **Free Air** Marine Subwoofer  
**POWER (W):** 400/800 (RMS/Peak)  
**IMPEDANCE:** 2Ω or 4Ω  
**FREQ. RESPONSE:** 20Hz - 500Hz  
**SENSITIVITY:** 88dB @ 1W/m  
**DIAMETER:** 12.6" w/ grille  
**MOUNTING DEPTH:** 4.92"





# REVO 12-XXX SUBWOOFERS

MARINE 12" SPL SUBWOOFER

The REVO 12-XXX is the only SPL 12" marine-grade subwoofer in the world. Featuring a powder-coated, cast aluminum frame, with our blend of polypropylene/carbon fiber/glass fiber cone, coupled with a the massive magnetic system, high-roll Santoprene™ rubber surround and a 4" dual voice coil. The 12-XXX also features gold-plated binding posts, an integrated multi-part cooling system with a "T" yoke heat sink and pole-piece venting; ensuring high power and low voice coil temperatures for maximum reliability.

### REVO 12-XXX SUBWOOFER

**POWER (W):** 1200/2400 (RMS/Peak)  
**IMPEDANCE:** Dual 2Ω  
**FREQ. RESPONSE:** 40Hz - 500Hz  
**SENSITIVITY:** 88dB @ 1W/m  
**MOUNTING DEPTH:** 6.53"  
**WEIGHT:** 33.4 lbs




REVO XXX MOUNTING DEPTH

# REVO 15-XXX

MARINE 15" SPL SUBWOOFER

### REVO 15-XXX SUBWOOFER

**POWER (W):** 2000/4000 (RMS/Peak)  
**IMPEDANCE:** Dual 2Ω  
**FREQ. RESPONSE:** 35Hz - 500Hz  
**SENSITIVITY:** 88dB @ 1W/m  
**MOUNTING DEPTH:** 10.57"  
**WEIGHT:** 71 lbs





# AR-5 AUDIO ROOF

600W 5-SPEAKER AUDIO ROOF

Introducing the 600W 5-Speaker Audio Roof! This ready-to-go system was designed to provide powerful audio in a rugged roto-mold construction, while making installation a breeze. Not only does this roof sound amazing, but it also provides extra lighting where you need it most thanks to the front & rear LED light bars, as well as a LED cabin light.



## FEATURES INCLUDE:

- 4-Channel Amplifier
- WS-MC-2 Media Player
- Front, Rear & Cabin LED Lighting
- Integrated RGB Speaker Lighting
- Option to add AR-AMP 2CH amp for additional speakers
- All new 8" high-output speakers & 12" subwoofer featuring new XZ style grille

### Available Models


AR-5 Ranger Crew    2014+ Polaris® Ranger® Crew  
AR-5 Defender Max    2017+ Can-Am Defender Max



# AR-AMP 2CH

FULL RANGE AUDIO ROOF 2 CHANNEL AMPLIFIER

Designed and engineered for AR Series roof systems. Expand your audio roof system. The audio roof system comes prewired to accept the AR-AMP 2CH for an easy plug and play installation. The optional AR-AMP 2CH is the perfect match to add on RECON 6 Pods, ICON8 Pods or REV8 Pods. Installation is simple hookup of power/ground, thanks to the pre-wired harness to get you going quick so you can get back on the trails and enjoy all your favorite tunes.



- Optional 2CH Amp allows for quick & simple installation for additional speakers, such as RECON 6 Pods, ICON/REV8





STEALTH XT SOUNDBAR

STEALTH XT SOUNDBAR

ALL-IN-ONE AMPLIFIED BLUETOOTH SOUNDBAR WITH REMOTE


ALL-IN-ONE AMPLIFIED BLUETOOTH SOUNDBAR WITH REMOTE

The all-new **Stealth XT Series** soundbar sets the bar once again for powersports soundbars. Sporting a rugged new look, Stealth XT models feature a 300W Class-D DSP Amplifier to deliver a clear, high-performance sound. With a new back-lit touchpad controller with built-in Bluetooth® connectivity that will allow the user to broadcast the audio with up to 3 additional Stealth XT soundbars within a 35' range to triple the sound. Enjoy your Stealth XT soundbar at night with RGB accent lights featuring 12 color modes to fit your mood, and just in case you need a little extra light, we got you covered with an integrated LED dome light.


Mounting is easy thanks to the Wet Sounds patented Fast Track sliding mount system, and integrated Power/Ground wire harness so you can enjoy more music and spend less time with mounting and wiring. The Stealth Series soundbars are designed to give every ATV, UTV, Golf Cart, Boat, and vehicle in your garage the ability to ride with a loud, live, and clear high performance audio solution.




**STEALTH XT 6**  
4 marine-rated 3" full range drivers  
2 marine-rated 1" tweeters  
**WEIGHT:** 12 lbs



**STEALTH XT 8**  
6 marine-rated 3" full range drivers  
2 marine-rated 1" tweeters  
**WEIGHT:** 15.2 lbs



**STEALTH XT 12**  
8 marine-rated 3" full range drivers  
4 marine-rated 3/4" tweeters  
**WEIGHT:** 18.6 lbs



300W Class-D Amplifier  
**FREQ. RESPONSE:** 40Hz - 20kHz  
**Max Current Draw:** 15A  
**Operating Voltage:** 10V-16V  
**IP Rated:** IP67



UNIVERSAL MOUNTING

Aluminum L-bracket for end cap mounting.



Fast-track sliding mount system.



FEATURES INCLUDE:

- Weatherproof rated for all outdoor marine and powersports applications
- Advanced DSP-controlled Class-D amplifier delivering clear sound, improved mid-bass and low-end bass response
- Built-in Bluetooth® connectivity with source control
- Sync multiple XT soundbars to share audio
- Backlit control panel & RGB accent lights with 12 color mode
- Integrated LED dome light
- Complete power/ground wire harness with in-line 20A fuse
- 3.5 AUX Input for a wired connection
- 3.5mm line output (2V) to connect an additional external amplifier and speakers.
- IP67 rated RF wireless remote
- Universal L-brackets and spacers with hardware included
- Wet Sounds patented Fast Track sliding mount system



**SOUNDBAR PATENTS** [wetsounds.com/patents](https://www.wetsounds.com/patents)  
U.S. Utility Patent No.: US 9,469,254 B1; U.S. Utility Patent No. 8,568,162; U.S. Design Patent No. D757,686; U.S. Design Patent No. D757,687; U.S. Design Patent No. 756,962;  
U.S. Design Patent No. D756,963; U.S. Design Patent No. 756,963; U.S. Design Patent No. D756,961; U.S. Design Patent No. D756,964; Additional Patents Pending



# STEALTH ULTRA HD

## UNIVERSAL SOUNDBAR

The STEALTH ULTRA HD Series Soundbars are designed to give every owner of a Boat, UTV, Golf Cart or virtually any other vehicle the ability to add High Performance Audio in a SIMPLE-TO-USE design. Made for the great outdoors, the STEALTH ULTRA HD Series Soundbars are designed to be simple & easy audio options for your vehicle. The STEALTH ULTRA HD Soundbars are a true High-Performance, 2-wire, 12 Volt stealth audio system!



■ Offered in black or white

- Built-In Bluetooth Controller with Aux Input
- Built-In High Output, Advanced DSP Amplifier with D-Bass Tech
- Simple Plug & Play Installation
- Complete Wiring Harness (12') with L & Top Mount Brackets Included
- RF Wireless Remote Control Included
- IP67 Rated - protection from total dust ingress & water immersion up to 1m depth
- Extruded Aluminum Chassis and Grille with Powder Coated Finish

### Universal Mounting


Aluminum L mount for end cap mounting.




Sliding top/bottom mount channel.



**STEALTH 6 ULTRA HD**  
**POWER (W):** 200/400 (RMS/Peak)  
**FREQ. RESPONSE:** 40Hz - 20kHz  
**SENSITIVITY:** 90dB @ 1W/m



**STEALTH 10 ULTRA HD**  
**POWER (W):** 300/600 (RMS/Peak)  
**FREQ. RESPONSE:** 40Hz - 20kHz  
**SENSITIVITY:** 90dB @ 1W/m



# STEALTH AMPLIFIED SURGE

## UNIVERSAL SOUNDBAR

■ Only offered in black




- Built-In High Output, Advanced DSP Amplifier with D-Bass Tech
- Ready to connect to an External Bluetooth Controller, Head Unit, or Additional ULTRA Soundbar
- IP67 Rated - Aluminum Chassis & Grille with Powder-Coated Finish
- Complete Wiring Harness (12') with L & Top Mount Brackets Included




**SOUNDBAR PATENTS** [wetsounds.com/patents](http://wetsounds.com/patents)

U.S. Utility Patent No.: US 9,469,254 B1; U.S. Utility Patent No. 8,568,162; U.S. Design Patent No. D757,686; U.S. Design Patent No. D757,687; U.S. Design Patent No. 756,962; U.S. Design Patent No. D756,963; U.S. Design Patent No. 756,963; U.S. Design Patent No. D756,961; U.S. Design Patent No. D756,964; Additional Patents Pending

**STEALTH 6 SURGE**  
**POWER (W):** 200/400 (RMS/Peak)  
**FREQ. RESPONSE:** 40Hz - 20kHz  
**SENSITIVITY:** 90dB @ 1W/m



**STEALTH 10 SURGE**  
**POWER (W):** 300/600 (RMS/Peak)  
**FREQ. RESPONSE:** 40Hz - 20kHz  
**SENSITIVITY:** 90dB @ 1W/m




# STEALTH PASSIVE CORE

## UNIVERSAL SOUNDBAR


The STEALTH Core passive Soundbars are the latest addition to the Wet Sounds STEALTH Family of products. The Wet Sounds CORE Soundbars are a passive version of our Soundbar that is the perfect addition to an existing stereo system. The STEALTH Core Soundbar is available in STEALTH-6 CORE with 6 drivers and Stealth-10 CORE with 10 drivers.



**STEALTH 6 CORE**  
**POWER (W):** 75/100 (RMS/Peak)  
**FREQ. RESPONSE:** 40Hz - 20kHz  
**SENSITIVITY:** 90dB @ 1W/m



**STEALTH 10 CORE**  
**POWER (W):** 75/150 (RMS/Peak)  
**FREQ. RESPONSE:** 40Hz - 20kHz  
**SENSITIVITY:** 90dB @ 1W/m



- Ready to Connect to Existing Audio Systems
- Passive Speaker Design - Available in 6 or 10 Drive configurations
- Perfect for UTV/ATV, Golf Carts and Marine Use

### Universal Mounting

Aluminum L mount for end cap mounting.



Sliding top/bottom mount channel.



# STEALTH AS-SUBS

## ACTIVE SUBWOOFER ENCLOSURE

### STEALTH AS-10



**STEALTH AS-10**  
**POWER:** 500/1000 (RMS/PEAK)  
**FREQ. RESPONSE:** 20Hz - 250Hz  
**DIMENSIONS:** 14.75\"/>

### STEALTH AS-8



**STEALTH AS-8**  
**POWER:** 350/700 (RMS/PEAK)  
**FREQ. RESPONSE:** 20Hz - 250Hz  
**DIMENSIONS:** 9.5\"/>

### STEALTH AS-6



**STEALTH AS-6**  
**POWER:** 250/500 (RMS/PEAK)  
**FREQ. RESPONSE:** 20Hz - 250Hz  
**DIMENSIONS:** 8.75\"/>

Tough and durable, the molded Polyethylene housings of the STEALTH AS-Subs are designed to withstand any harsh environment, while providing superior low-bass output. The built-in Class-D amp is sealed against moisture and dirt intrusion for extra protection against the elements. All STEALTH-AS Subwoofers have been designed with simple connections for plug & play installation. The AS Subwoofer series are the perfect match for Wet Sounds STEALTH Ultra HD Soundbars, or any other application where you need to add bass.



# SINISTER SDX


SINISTER AMPLIFIERS

The Sinister range of amplifiers are the highest-power marine amplifiers on the market. Utilizing Wet Sounds-exclusive MAXED™ Class-D Power Supplies, internal rectifier outputs and 4-layer circuit boards. What this means to you: uncompromised performance, outstanding sound quality, less current draw, less strain on your electrical system and less heat generated allowing you to play all day.

OUR FLAGSHIP FOR POWER, CLARITY & EFFICIENCY



Tech Spec.	SDX-2	SDX-4	SDX-6	SDX-2500
Amp Channels	2	4	6	1
Stereo @ 4 Ohms	400W x 2	185W x 4	185W x 6	1000W x 1
Stereo @ 2 Ohms	620W x 2	340W x 4	290W x 6	1700W x 1
Mono @ 4 Ohms	1250W x 1	685W x 2	585W x 3	X
Mono @ 1 Ohm	X	X	X	2500W x 1
Dimensions (LxWxH)	10.25 x 14.5 x 3			10.25 x 22.12 x 3



## SYN-DX

SYN-DX MARINE AMPLIFIERS

Wet Sounds SYN-DX Series Marine Amplifiers are designed to be the amplifier of choice for every high-end marine audio system. SYN-DX amplifiers use advanced circuitry, high-quality components, oversized outputs and efficient Class-D Power Supplies.



Tech Spec.	SYN-DX2	SYN-DX4	SYN-DX 2.3 HP
Amp Channels	2	4	2
Stereo @ 4 Ohms	200W x 2	125W x 4	300W x 2
Stereo @ 2 Ohms	375W x 2	200W x 4	600W x 2
Mono @ 4 Ohms	750W x 1	400W x 2	1200W x 1
Mono @ 1 Ohm	X	X	X
Dimensions (LxWxH)	8.52 x 12.21 x 3	8.52 x 10.63 x 3	8.52 x 14.75 x 3

Tech Spec.		SYN-DX6	
Amp Channels		6	
Ch. 1-4: Stereo @ 4 Ohms	125W x 4	Ch. 5-6: Stereo @ 4 Ohms	150W x 2
Stereo @ 2 Ohms	200W x 4	Stereo @ 2 Ohms	300W x 2
Mono @ 4 Ohms	400W x 2	Mono @ 4 Ohms	600W x 1
Dimensions (LxWxH)		8.52 x 14.75 x 3	


# HTX AMP

HYDRO-TECH™ X (HTX) SERIES AMPLIFIER

HTX amplifiers use superior-performance circuitry and utilize Class-D Power Supplies. These amplifiers have extreme power output, thermal overload protection and flexible crossovers - all packed inside a small chassis. HTX Amplifiers are a well-balanced match for all Wet Sounds™ products.



Tech Spec.	HTX-1	HTX-2	HTX-4	HTX-6
Amp Channels	1	2	4	6
Stereo @ 4 Ohms	330W x 1	150W x 2	100W x 4	100W x 6
Stereo @ 2 Ohms	650W x 1	300W x 2	150W x 4	150W x 6
Mono @ 4 Ohms	X	600W x 1	300W x 2	300W x 3
Mono @ 1 Ohm	X	X	X	X
Dimensions (LxWxH)	7.34 x 10.03 x 3			7.34 x 13.69 x 3




# STEALTH STX MICRO

COMPACT CHASIS CLASS-D MARINE AMPLIFIER

The STX Micro-1 and STX Micro-4 amps were designed for the Power Sports enthusiast. These small yet powerful amplifiers are designed with a completely sealed, die cast aluminum chassis for maximum protection against water and dirt intrusion. Both STX models are outfitted with 3.5 mm signal-input connections, and work seamlessly with our Bluetooth controllers or direct connection to most smartphones' headphone jack.

Tech Spec.	STX-1	STX-4
Amp Channels	1	4
Stereo @ 4 Ohms	250W x 1	80W x 4
Stereo @ 2 Ohms	420W x 1	130W x 4
Mono @ 4 Ohms	X	280W x 2
Mono @ 1 Ohm	600W x 1	X
Dimensions (LxWxH)	4.02 x 9.11 x 1.85	





# WS-TB-MIC

## TALKBACK MICROPHONE WITH ADJUSTABLE MIC GAIN

With the WS-TB-MIC talk back microphone, drivers gain an effective means of communication with riders and nearby vehicles. By simply pressing the button on the microphone, the system promptly mutes any ongoing music playback from the interrupted channels, allowing them to be utilized as a highly efficient Public Address (PA) system.



**NEW FOR 2023**

### WS-TB-MIC

- Small Compact Design
- Adjustable Mic Volume Controller
- Conformal Coated Electronic Components
- Audio Mutes & Resumes on Connected Channel Automatically for Easy Communication

# EQ LEVEL CONTROL



### WS-420 BT

- Bluetooth/Aux/RCA Input
- Flush in-dash or under-dash mounting
- 3-Zone EQ Control w/ 2 Separate Zone EQ
- Compact Design for Single DIN applications
- Talk-back Mic included for easy communication



### WS-220 BT

- Bluetooth/Aux/RCA Input
- Flush in-dash or under-dash mounting
- 4-Zone Level Control w/ Master Control
- Compact Design for Single DIN applications
- Talk-back Mic included for easy communication



### WS-420 SQ

- Aux In-Out/RCA Input
- 3-Zone EQ Control w/ 2 Separate Zone EQ
- Compact Design for in-dash or under-dash mounting with WS-EQ UDM or WS-EQ IDM mounts
- Talk-back Mic included for easy communication

# EQ DASH MOUNTS



WS-EQ IDM-S



WS-EQ UDM-S



WS-BT EQ UDM-B

Available in Black:  
WS-EQ IDM-B  
WS-EQ UDM-B

# BLUETOOTH CONTROLS

With Wet Sounds Bluetooth controllers, you now have 4 different options to add Bluetooth control to your system. Adjust the volume, as well as track playback in 4 different ways! Our entire line-up is sealed for both Marine and Powersport use. Wet Sounds Bluetooth controllers are the easiest and most cost-effective way to add Bluetooth to any audio system!



**WW-BT VC**  
Bluetooth  
Volume Control



**WWX-DZ-BT**  
Dual-Zone  
Bluetooth Controller



**WW-BT UR**  
UNIVERSAL  
Bluetooth Receiver



**WW-BT RS**  
Bluetooth  
Rocker Switch

### BT VC

- The perfect add-on for the WS-420 SQ
- iPhone, Android & Bluetooth Device Ready
- One knob controls - track, pause & volume
- Flush in-dash or under-dash mounting
- 3.5 mm output - Easy Add-on to any radio with AUX input

### DZ BT

- Controls Volume, Track, Play/Pause & Aux Input
- Controls Volume of 2 Zones
- Zones Can Be Linked Together or Controlled Individually
- Remote Output Turns an Amplifier On/Off
- Mounts in 1-1/8" Opening
- Back-Lit Button Illumination w/ Separate Illumination for Source Identification

### BT UR

- Uses the controls on the BT device for Play/Pause, Track & Volume adjustment.
- Power-saving feature - Turns off the amplifier if music is paused for more than 10-20 seconds.
- Blue light indicates BT pairing status, Red light indicates amplifier status.
- 3.5 mm female connection for main output.

### BT UR


- Controls Volume, Track, Pause & Aux Input
- Mounts into a Standard Carling Switch opening
- 3.5 mm Connections for Main Output & Auxiliary Input
- Volume Controls the BT & AUX
- Remote Output Turns an Amplifier On/Off



# AL-SR-V2

## S/R KIT 2.4 GHZ SEND AND RECEIVE AUDIO LINK KIT

Wet Sounds A-Link plus is the world's first, full-wireless audio link system. With a new design & improved performance, you can broadcast from your system to multiple audio systems with an AUX input up to 1,600 feet. You do not need Bluetooth or Wi-Fi! Each A-LINK plus module can SEND or RECEIVE. When linking multiple units together, you will be able to create the ultimate party atmosphere no matter where you are on your boat, ATV, golf cart or any other vehicle. The Link plus is a must-have for any boat tie up!



- No Bluetooth or Wi-Fi connection needed
- Operational Range - Approximately 1,600 feet
- 3.5mm Connection cables & Y-adapter included
- Each A Link Unit can be programmed to either SEND or RECEIVE
- Multiple A Links can be set up to receive from 1 A Link Sender
- Sender Standby Battery Time: 5.5 Hours
- Receiver Standby Battery Time: 9.5 Hours
- Dual Micro USB Charging Cable Included



# GOLF CART HARNESS


# GOLF CART AMPLIFIER KIT

## WET SOUNDS GOLF CART HARNESS

## WET SOUNDS AMPLIFIER KIT

The Wet Sounds Golf Cart 4-Speaker Wiring Harness allows easy installation of a four speaker system to your 4-seater golf cart without the headache of running all new wiring for all your hookups. The GC-H4S harness comes complete with plug-n-play connections that plug directly into your Wet Sounds REVO or RECON speakers. Including the RGB connections, as well as plug-n-play connections for power for the Wet Sounds MC-2 head unit and Stealth AS Series subwoofer.

Introducing the new Wet Sounds Golf Cart Amp Kit. This kit will allow for an easy installation of the STX Micro-4 amplifier on a golf cart when using the Wet Sounds (GC-H4S) Golf Cart 4-Speaker Wiring Harness. Utilizing 10 AWG power and ground wire, in-line fuse holder with 60-Amp Maxi type fuse, pre-crimped copper alloy ring terminals, wrapped in braided sleeving for a clean, professional look. Also included is a T-harness for easy connection with the Wet Sounds MC-2 or MC-20 radio that includes 20 AWG pigtail wiring for speaker connections on the STX Micro-4 amplifier.




- GC-AMP-KIT**
- Compatible with:
- GC-H4S (golf cart harness)
  - STX Micro 4 Amp
  - WS-MC-2
  - WS-MC-20

### FEATURES INCLUDE:

- 10 AWG power
- In-line fuse holder
- 60 Amp Maxi type fuse

### Wiring Diagram





VENUE SERIES

OUTDOOR

VENUE SERIES

OUTDOOR

HLCD OUTDOOR SPEAKERS

SHALLOW MOUNT CEILING SPEAKER

The VS-8 PRO utilizes Wet Sounds' Horn Loaded Compression Driver (HLCD) technology, combined with a reinforced composite mid-bass driver, and features 4Ω and 70v adjustable tap settings, including 40W, 80W, 120W & 160W. The VS-8 PRO provides a balanced sound for large, open-air environments. The weatherproof enclosure features Wet Sounds' reaction technology, consisting of opposing dual aluminum passive radiators to deliver superior bass response.

Specifically designed and engineered for any shallow mount or in-ceiling application, the Venue Series VS-SMC-65 is the perfect addition to your home audio system. Driven by a 6.5" composite mid-bass driver and 1" PEI dome tweeter, the VS-SMC-65 delivers a live concert experience to your indoor/outdoor area. The VS-SMC-65 also features a paintable grille that can be colored to match your ceiling or application. Thanks to the high-strength composite construction, you can enjoy Venue inside or outside for the ultimate live concert experience.



VS-8 FEATURES INCLUDE:

- Horn Loaded Compression Driver Technology (HLCD)
- 4Ω and 70v adjustable tap settings
- Adjustable tap settings including 40W, 80W, 120W & 160W
- Dual aluminum passive radiators
- Easily mount in horizontal or vertical position
- Rotatable Wet Sounds logo to match orientation



VS-8 PRO-W

VS-8 PRO-B

Designed for surface or landscape applications (with optional VS-LS-SP ground spike), the **VS-69 PRO** provides 150W of incredible sound coverage. Utilizing Wet Sounds' Horn Loaded Compression Driver (HLCD) technology paired up with a durable reinforced composite 6x9" mid-bass driver, a single aluminum passive radiator, provides a well balanced sound with crystal clear vocals, and a superior bass response. The VS-69 PRO can be surface mounted using the included bracket hardware, or can be mounted throughout your landscape with the optional VS-LS-SP ground spike. It can also be mounted atop of the VS-12 LS-SUB for added low end bass.



VS-69 FEATURES INCLUDE:

- Horn Loaded Compression Driver Technology (HLCD)
- 4Ω and 70v adjustable tap settings
- Adjustable tap settings including 10W, 20W, 40W & 80W
- Single aluminum passive radiators
- Easily mount in horizontal or vertical position
- Landscape installation with VS-LS-SP
- Rotatable Wet Sounds logo to match orientation




\* Optional VS-LS-SP ground spike

Tech Spec.	VS-8 Pro	VS-69 Pro
Power RMS / Peak	200W / 400W	150W / 300W
Impedance (Ohms)	4Ω	4Ω
Frequency Response	20Hz - 20kHz	20Hz - 20kHz
Sensitivity @ 1W/m	92dB	92dB
Available Colors	Black   White	Black   White



Tech Spec.	VS-SMC-65
Speaker Size	6.5"
Power RMS / Peak	50W / 100W
Impedance (Ohms)	8Ω
Frequency Response	55Hz - 20kHz
Sensitivity @ 1W/m	88dB
Available Colors	White



VS-LS-SP

LANDSCAPE GROUND SPIKE

The Wet Sounds Venue Series Landscape Spike for the VS-69 PRO allows you to install the speakers in the ground with a landscape system and adjust the speaker angle for broad coverage. Conventional landscape speakers use multiple small drivers, spaced around an outdoor area. With a VS-69 PRO landscape install, you have the ability to increase output and coverage with fewer speakers.





VENUE SERIES OUTDOOR

VENUE SERIES OUTDOOR

12" LANDSCAPE IN-GROUND SUBWOOFER

The Wet Sounds Venue Series Landscape Sub is a 12" high-output bandpass subwoofer system designed for in-ground use. The fully-composite enclosure combined with a weatherproof port cap delivers low-bass extension and output to rival an outdoor concert. The vertical stack design allows for easy installation. The LS-SUB can be combined with any of the Wet Sounds Venue speakers to create that live music experience at home.



VS-12 SUB FEATURES INCLUDE:

- High strength composite housing
- Internal 300W 12" subwoofer mid-bass driver
- Designed for in-ground use
- Weatherproof port cap to deliver low-bass notes
- Includes mount for VS-69 PRO (for in-ground installation)
- Optimized for the demanding outdoor environments

Tech Spec.	VS-12 LS-SUB
Speaker Size	12"
Power RMS / Peak	150W / 300W
Impedance (Ohms)	8Ω
Frequency Response	20Hz - 200Hz
Sensitivity @ 1W/m	90dB
Available Colors	Black



Shown w/ Sub Buried



VENUE SERIES OUTDOOR

110V 1200W 4-CHANNEL AMP W/ ENCLOSURE

The VS-1200-AMP was specifically designed to power Venue Series products while utilizing a 110v power source. The VS-1200 amplifier features include preset selectable gain controls and selectable low pass filter. Speaker wiring is fast and easy with watertight quick connectors. Included is the VS-LS-ENC, a purpose-built landscape enclosure designed to house the Wet Sounds VS-1200-AMP with a plug and play media center, such as the Sonos Port (not included), in harsh outdoor environments. Includes a cooling fan, internal 110v power outlets, and an external 110v cord for easy installation.



VS-AMPLIFIER SYSTEM-4

110V 1200W 4-CH AMPLIFIER W/ ENCLOSURE

Tech Spec.	VS-1200-AMP
Power RMS @ 2Ω	4 x 300W
Power RMS @ 4Ω	4 x 200W
Frequency Response	5Hz - 20kHz
Low Pass Filter	100Hz
Operating Voltage	90VAC - 240VAC
Input Sensitivity	0.2 - 2V



VS-LS PRO PACKAGE

COMPLETE OUTDOOR AUDIO PACKAGE

PACKAGE INCLUDES:

- (2) VS-12 LS-SUB In-ground Landscape Subwoofers
- (1) Pair of VS-69 PRO-BLACK HLCD Speakers
- (1) VS-1200-AMP 4-Ch. 110v Amplifier
- (1) VS-LS-ENC Outdoor Enclosure
- Includes mount for VS-69 PRO (for in-ground sub installation)
- Optimized for the demanding outdoor environments






# STEALTH SHIVR-55

## SHIVR-55 STEALTH 6 COOLER

The first ever of its kind! 58-quart (55-liter), premium SHIVR® Cooler w/built-in 200 watt 6-speaker system. Complete with lithium-ion battery pack. Plays for over 8 hours - enough for any tailgate, picnic or patio party. Available in 5 different colors



58 QUART CAPACITY

### FEATURES INCLUDE:

- Built-in Bluetooth®
- Auxiliary Input/Output
- AC Charger included & 12 Volt Charger
- Double-Wall Insulation
- Stealth 6-Speaker System with DSP
- Lockable Lid
- Capacity: 55 Liters/58 Quarts
- Built-in Lithium-Ion Battery Pack (Up to 8 hours of play time)
- Rope Carry Handles and Rubber Latches
- W - 18.5" H - 18.5" L - 30"

**Amplifier:** Built-in 200W Amplifier  
**Operating Voltage:** 12V

**Frequency Response:** 40Hz - 20KHZ  
**IP67 Rated:** Protection from total dust ingress & immersion at up to 1m depth




Available Colors



### Connectivity:

The SHIVR-55 can be connected in multiple ways: Bluetooth, Auxiliary cord or (new a-link plus). The diagram to the right shows you the connections being used.



# SHIVR SKINZ

## FOAM-TRACTION KITS

Fully customize your SHIVR-55 with a Foam-Traction Kit. Available in two different kits: Standard and Deluxe. Both kits are available in 4 different color options for you to personally customize your SHIVR-55.



PROTECT & CUSTOMIZE YOUR SHIVR!



### Deluxe Kit

5 piece set: Top, Front, Back and Right/Left Sides



### Standard Kit

1 Piece set: Top Only

### SHIVR COOLER SKINZ 4 Color Combinations



SHIVR 55 GS Top Kit Grey Over Black



SHIVR 55 GS Top Kit Black Over Gray



SHIVR 55 GS Top Kit Whiskey Over Black




SHIVR 55 GS Top Kit Black Over Whiskey



# ZERO SUB ENC

ROTO-MOLD ENCLOSURE FOR ZERO SUBWOOFERS

Innovation at its core, the **ZERO SUB ENC** boasts a rugged roto-mold design, engineered to withstand the beat of your favorite tunes. ZERO enclosures can be mounted in multiple orientations thanks to its versatile design. Easily connect multiple enclosures with the included side insert for even more bass, so you can use one, or use multiple, the choice is yours. The rugged design also provides structural support for the sub woofer to keep you tunes sounding their best.




Shown conjoined, with **ZERO ENC** you can securely combine multiple enclosures with the included **Side Insert**.

**NEW FOR  
2024**

## ZERO ENC

- Heavy-Duty Roto-Molded Enclosure
- Versatile Mounting Design
- Quick Connect Wiring Harness
- Structural Support for Subwoofer
- Designed for Joining Multiple Enclosures




**ZERO 10 ENC**  
Width: 14" (355.60 mm)  
Length: 18" (457.20 mm)  
Height Front: 5.71" (145.03 mm)  
Height Rear: 8.81" (223.77 mm)

**ZERO 12 ENC**  
Width: 14" (355.60 mm)  
Length: 28" (711.20 mm)  
Height Front: 5.71" (145.03 mm)  
Height Rear: 8.81" (223.77 mm)

# WET WIRE

SPOOLED WIRE / RCA CABLES

Power wire, RCA cables, junction blocks and fuse panels that resist the elements. Complete your system with wire and accessories designed specifically for marine and off-road applications. **Visit our website to see the complete line of wire spools and other wire accessories.**



- Spooled Frosted Bulk Wire
- True AWG Gauge Amp Wire

## Wire Spools Available

Power   Ground	Speaker Wire
WWX-1/0 RED-50	WWX-SPK 12G-250
WWX-4G RED-125	WWX-SPK 14G-250
WWX-8G RED-250	
Combo   RGB Wire	
WWX-RGB 22G-150	WWX-3PRM-150
WWX-SPKR/RGB Combo-150	

# RCA CABLES



- 2 - 6 Channel Quad Shielded
- High Contact RCA Tips
- Over Molded Jackets
- Individual Numbered Channels



## RCA Cables Available

WWX-RCA-6CH 5FT	WWX-RCA-6CH 17FT
WWX-RCA-6CH 12FT	WWX-RCA-6CH 23FT
WWX-RCA-4CH 17FT	WWX-RCA-2CH 1.5FT
WWX-RCA-2CH 5FT	WWX-RCA-2CH 12FT
WWX-RCA-2CH 17FT	WWX-RCA-2CH 23FT

## Split/Adapter Cables Available

WWX-RCA M-2F Y	WWX-RCA F-2M Y
WWX-RCA-3.5mm 2FT	

# POWER DISTRIBUTION



- Enhanced Body Styling
- Versatility to use in many Applications
- Wire Fastening Points
- Adjustable Badge Orientation



see more at  
wetsounds.com




# LED ACCESSORIES

RGB RINGS, GRILLES & CONTROLLERS

Set the mood with RGB lighting from Wet Sounds. Find just what you need with a selection of RGB LED rings, Translucent Grilles, and RGB Controllers to transform your evening outings on the water or the trails.



**NEW FOR 2024**  
**ZR Rings Coming Soon**  
• Made to Fit Zero, Revo, Recon



**TRANSLUCENT GRILLES**  
Available for: **REV8**  
**REV10**  
**REV 410**



**LED RING KITS**  
Available for: **REVO/RECON 6**  
**REVO/RECON 8**  
**REV/ICON 8**  
**REV 10/410**  
**REVO 10/12 SUBS**

# RGB CONTROLLERS

RF-RGB-MC V2



WS-4Z-RGB KIT



WWX-RGB-RS



# SPEAKER SUITZ

TOWER SPEAKER PROTECTION

Durable Neoprene covers for Wet Sounds REV/ICON Series tower speakers. Zippered closure, convenient carrying handles, and white silk-screened logo on the front. Speaker Suits offer protection during travel or storage.



**SPEAKER SUITZ**  
Available for: **REV 410**  
**REV8/REV10**  
**REV 10 HD/REV 12 HD**

# TOWER ADAPTERS

ADAPTABLE TO WET SOUNDS TOWER SPEAKERS

- Direct-Mount compatible with REV8X, REV10X, ICON8X
- Full-Swivel quick-release compatible with REV8SC, REV10SC, ICON8SC (using TC3-S removable base plate)



NAUTIQUE-FC5-L




NAUTIQUE-ADP G



NAUTIQUE-FC5-U



SUPRA FX ONE



ADP MALIBU G3 SINGLE



ADP MALIBU G3 DUAL



MASTERCRAFT MC-11



CENTURION GLADIATOR



# TOWER CLAMPS

The perfect clamp for your Wet Sounds products. Available in Fixed, Swivel and X-Mount models. All clamp options are available on [wetsounds.com](http://wetsounds.com)



TC3-S



TC3-S- SXM



TC3-F

**TC3-F Stainless Steel Fixed Bracket Mount**

- Specifically for tube diameter 1 7/8" to 3"
- Compatible with REV, REV HD & ICON

**TC3-Swivel Stainless Steel Clamp**

- Specifically for tube diameter 1" to 1 7/8"
- Compatible with REV, REV HD & ICON

**Silver, Aluminum Clamp**

- Compatible with REV8, REV10, REV HD & ICON8

**REV X-Mounts**

- Compatible with REV8, REV10 & ICON8

**REV HD X-Mounts**

- Compatible with REV 10/12 HD



See more at [wetsounds.com](http://wetsounds.com)









# High Performance Audio



Like & Follow Us Online!

[www.wetsounds.com](http://www.wetsounds.com)



**WARNING:**

Cancer and Reproductive Harm  
[www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov)