




2024

WET SOUNDS PRODUCT RESOURCE

PREMIUM HIGH PERFORMANCE AUDIO





High Performance Audio

WE ARE **WET SOUNDS™**

Since the beginning, it has been Wet Sounds' mission to deliver a CLEAR, LOUD and LIVE audio experience to remember in the most demanding environments. Wet Sounds continues to be the undisputed leader in high performance audio products - aspiring to not only meet, but exceed our customers expectations. We never follow the crowd. We seek to push the boundaries of what is possible through constant innovation and technological advancement. Our goal will never change – build the highest performance, element-proof audio products!

Wet Sounds is more than just an audio company. We are a lifestyle. We are the Wet Life!



HIGH PERFORMANCE AUDIO

INDEX

SOURCE UNITS

WS-MC-1	6
WS-MC-20	7
WS-MC-2	8
WS-MC-5	9

SOURCE UNIT ACCESSORIES

WS-G2-CTR, WS-G2-TR	10
WS-MC-TR, WS-MC-TR-MINI	11

TOWER SPEAKERS

REV 10/12 HD	12-13
REV 410	14-15
REV8™, REV10™	16
ICON, RECON Pods	17

COAXIAL SPEAKERS

ZERO Series	18-19
REVO Series	20-21
RECON Series	22

SURFACE MOUNT SPEAKERS

REV 5x7, REV 6x9	23
------------------	----

SUBWOOFERS

Zero Subwoofers	24
RECON Subwoofers	25
REVO 12 PSE	25
REVO FA/HP Subwoofers	26
REVO 12-XXX, 15-XXX	27

AR-5 AUDIO ROOF

	28-29
--	-------

JEEP AUDIO KIT

	30-31
--	-------

SOUNDBARS

Stealth XT Series	32-33
Stealth Ultra HD Series	34
Stealth Surge Series	34
Stealth Core Series	35

POWERED SUBWOOFERS

	35
--	----

AMPLIFIERS

Sinister Series	36
SYN-DX Series	36
HTX-Series	37
Stealth STX Micro	37
HTM Series	38-39

TALKBACK MIC, EQ

40

BLUETOOTH CONTROLLERS

41

SEND/RECEIVE KITS

41

GOLF CART ACCESSORIES

42-43

VENUE SERIES

HLCD Outdoor Speakers	44
In-Ceiling Shallow Mount	45
Landscape Spike	45
In-Ground Subwoofer	46
Amp System, Pro Package	47

SHIVR COOLERS

48-49

Zero Sub Enclosures

50

WET WIRE™

51

LED ACCESSORIES

52

SPEAKER SUITZ

52

TOWER ADAPTERS

53

Product information may change without notice.
Please visit wetsounds.com for the most recent
product information and specifications.

WS-MC-1

WET SOUNDS MARINE MEDIA CENTER SYSTEM




Wet Sounds Media Center (**MC-1**) is an industry-leading, two-piece marine-grade, multi-zone source unit. This package includes the MC-MD main display/control center and the MC-BB, remotely-mounted processing unit. The MC-1 is customizable to store and control your favorite input sources with 4 audio preset zones. Set multiple volume levels for a variety of lifestyle environments, and add custom labels to the presets for quick-touch access while on the water.



Features


- 5" Ultra Bright Full Color TFT Display
- Day/Night Illumination & Dimming
- Adjustable Input Gains for All Inputs
- AM/FM/Weather Band Tuner with RDS
- 4x50W @ 2Ω via Internal Power Amplifier
- 4-Zone Lighting Control (with Optional WS-4Z-RGB-BB)
- Bluetooth® Streaming, Auxiliary, USB, & Pandora
- Simple & Secure Bluetooth Pairing for Android & iOS (A2DP/AVRCP 1.4)
- Displays Album Art via Compatible Devices
- Playlist & Folder Browsing via BT or USB Connection (with compatible device)
- 4-Zones of Independently Controllable Audio Output w/ 4v Signal Output
- Fully Upgradeable Operating System Software via USB Port
- Accepts the Optional MC-TR Transom Remote




7.08" W



1.33" D



10.23" W



1.32" D

6.77" H

WS-MC-20

2 ZONE NMEA COMPATIBLE MEDIA RECEIVER


The **WS-MC-20** Compact 2-Zone SiriusXM-Ready™ Media Receiver provides a great solution for those who need to install a receiver in smaller and tighter spaces - all while maintaining the ability to provide Wet Sounds unmatched sound quality. Enjoy AM/FM/Weather Band, Bluetooth® Audio, SiriusXM-Ready™ (requires SiriusXM Connect Tuner and Subscription Package, Sold Separately) and NMEA connectivity with optional interface accessory. Now, by connecting your back-up camera to the MC-20 via the video input so you can always be aware of your surroundings.

Features

- 3" Ultra Bright Full Color TFT Display
- Day/Night Illumination & Dimming
- AM/FM/Weather Band Tuner with RBDS
- Internal Power Amplifier 4x50W @ 2Ω Max Output
- Bluetooth® Streaming, Auxiliary, & USB Inputs
- Simple & Secure Bluetooth® Pairing for Android & iOS (A2DP/AVRCP 1.4)
- Independent Volume Control for Secondary Zone Full Range or Subwoofer w/ Selectable LP Crossover 60/80/100Hz, LP Crossover Slope Selectable at 12dB or 24dB per Octave
- Preamp Outputs x3: Front, Rear & Switchable, Zone 2 or Subwoofer Output w/ Level Control
- SiriusXM-Ready™ (SiriusXM Connect Tuner and Subscription sold separately)
- Reverse Camera Video Input with Reverse Trigger
- NMEA 2000® Connectivity (WS-G2-NEMA-20 required)
- Accepts the Optional WS-G2-CTR Transom Remote & WS-G2-TR Transom Remote
- Optional Flush Mount Bezel




SOURCE UNITS



5.21" W

4.17" H




2.87" D

WS-MC-2


WET SOUNDS DIGITAL MARINE RECEIVER



Following the success of our MC-1, we developed a unit that will work off the road or on the water! The **MC-2** Digital Media Receiver, with 2.7" full-color display, is designed to be a solution for installing a high-quality receiver in smaller and tighter space, while still maintaining Wet Sounds' unmatched sound quality and durability.



5.09" W



2.8" D

Features

- 2.7" Full-Color TFT Display
- AM/FM/WB Digital Tuner
- Day/Night Illumination & Dimming
- Internal Power Amplifier 4x50W @ 2Ω Max Output
- 7-Band Equalization
- Built-in Crossovers: HPF for Front & Rear, LPF for Zone 2
- Adjustable Input Gains for all Inputs
- Front & Rear Preamp Outputs with Fading Capability
- Front-Panel Mounted Independent Secondary-Zone Control – Full Range or Subwoofer
- Auxiliary, & USB Inputs
- USB Input with iPhone Connectivity, Charging and MP3 Capability
- Simple & Secure Bluetooth Pairing for Android & iOS (A2DP/AVRCP 1.4)
- Playlist & Folder Browsing via BT or USB Connection (with compatible device)
- SiriusXM-Ready™ (SiriusXM Connect Tuner and Subscription sold separately)
- Compatible with Optional MC-TR Transom Remote

WS-MC-5

WET SOUNDS AM/FM DIGITAL TUNER MEDIA RECEIVER




SOURCE UNITS

Introducing the newest receiver to the Wet Sounds lineup, the **WS-MC-5** AM/FM receiver with Bluetooth®. Enjoy your favorite music with Bluetooth®, AM/FM Radio or a 3.5 mm auxiliary input. The WS-MC-5 is the perfect introduction into Wet Sounds' media center product line, sharing the same compact design as the MC-2 which allows the MC-5 to be the perfect solution for any marine or powersports application.




Features

- 2.7" LCD Display
- AM/FM Digital Tuner
- Day/Night Illumination & Dimming
- Bluetooth® Streaming, Auxiliary Input
- Internal Power Amplifier 4x50W @ 2Ω Max Output
- Front & Rear Preamp Outputs w/ Fading Capability
- Front Panel Mounted Independent Secondary Zone Control - Full Range or Subwoofer
- Compatible with Optional MC-TR-MINI Transom Remote



5.09" W




2.8" D



WS-G2-CTR & WS-G2-TR

WIRED TRANSOM REMOTE




5.21" W

4" H



1.08" D



5.21" W

2.57" H



Compatible with the Wet Sounds WS-MC-20, the compact G2 Transom Remotes allow remote control over the audio system. The **WS-G2-CTR** features a 3" color display, and allows full control of the WS-MC-20 source unit. The **WS-G2-TR** was designed for installation in tighter spaces and can control Volume, Play/Pause, Source/Track Selection and Seek functions.

WS-G2-CTR Features

- 3" Full-Color Display
- Full Control of the WS-MC-20
- 13-Pin DIN Cable Connection to WS-MC-20
- IPX6 Rating


WS-G2-TR Features

- Master Volume Control
- Song Seek & Source Selection
- 13-Pin DIN Cable Connection to WS-MC-20
- IPX6 Rating

MC-TR

TRANSOM/AUXILIARY REMOTE FOR MC-1 & MC-2

With the Wet Sounds transom remote connected to your MC-1 marine media center or your MC-2, you can control your entertainment from the bow or your swim deck. It connects to the MC-1/MC-2 via the included 23' MC-TR EXT cable, and gives you the ability to adjust volume and choose audio sources when you're nowhere near the main display.



3.85" H

1" D



MC-TR Features

- Single Line LCD Display
- Source, Playback & Volume Controls
- Volume - Main Level & each Zones Individually
- Connects to the MC-BB via Included 23' Cable
- Allows Control of Radio, Bluetooth, Pandora & Aux
- Up to 50' Distance from the MC-BB (with additional MC-TR-EXT cable)

MC-TR-MINI Features

- Allows Control of Source, Track, Play/Pause, Volume
- IPX7 Certified Marine Grade Construction
- Compact Size; Easy Mounting
- Connects to WS-MC-5 via 3.5 mm

MC-TR-MINI

TRANSOM/AUXILIARY REMOTE FOR MC-5

The MC-TR-MINI provides remote control of your audio system when combined with the Wet Sounds MC-5 Media Center. Remote functions include source change, volume control, track selection, play, and pause. Connect this compact, IPX7 rated marine remote with the included 25' 3.5 mm AUX cable and mount it on any desired location. Software update and MC-TR-MINI-ADP adapter cable required for use with Wet Sounds MC-1 and MC-2 media centers.




SOURCE UNIT ACCESSORIES

REV 10/12 HD SERIES

HLCD TOWER SPEAKERS



The **REV 10 HD** and **REV 12 HD** Horn Loaded Compression Driver (HLCD) Tower Speakers have been optimized with audio clarity and high performance at their core. They both feature a Pro-Axial HLCD driver paired with an advanced polymer composite cone for audio clarity and durability. The thermoformed Santoprene™ rubber surround, matched with the injection molded reinforced enclosure, ensures optimal listening in any marine setting.



Features

- Integrated Front & Rear RGB LED Rings
- Rigid PHGS Composite Cones
- HTPR Surround Suspension System
- High Output Horn Loaded Compression Driver
- Reinforced Nomex Aramid Spider
- Stainless Steel Hardware



Tech Spec.	REV HD 10"	REV HD 12"
Power RMS / Peak	300W / 600W	400W / 800W
Impedance (Ohms)	4Ω	4Ω
Frequency Response	66Hz - 20kHz	58Hz - 20kHz
Sensitivity @ 1W/m	91dB	91dB
Hang Height	12.42"	13.36"
Hang Weight	14.33 lbs	19.84 lbs

REV 10/12 HD SERIES


HLCD TOWER SPEAKERS



Available Grille Options



Hang Height Comparison



REV 410 HLCD

HLCD TOWER SPEAKERS



Our REV 410 is a part of the Wet Sounds Revolution Series, which uses our proprietary REV TEC™ technology. Unlike conventional designs, REV TEC technology provides remarkable volume and clarity, along with incredible, full-range sound quality at long distances - both on and off axis. Our REV TEC design features enhanced mid-bass response at all volume levels, along with smooth frequency-response for amazing near-field and wake-range sound quality. Available in Gloss Black and Gloss White with UV inhibitors.

Features


- Dual 10" Kevlar re-reinforced EFG™ Drivers
- High Output Horn Loaded Compression Driver with Titanium Diaphragm
- Re-reinforced Conex™ Spider
- Polyurethane Surround, Providing Protection from Ultra Violet Exposure and Moisture.
- Stainless Steel Hardware




Tech Spec.	REV 410
Power RMS / Peak	400W / 800W
Impedance (Ohms)	4Ω
Frequency Response	20Hz - 20kHz
Sensitivity @ 1W/m	92dB
Hang Height	12.42"
Hang Weight	36.2 lbs

REV 410 HLCD

HLCD TOWER SPEAKERS



28.56" W



20.5" D

Features

- RGB LED Rings (LED KIT REV10-RGB)
- Translucent Grilles (REV 10 TRANSLUCENT GRILLE)
- 6-pin Connector (ADP TC3-S 6-PIN) for use with RGB

REV410



+

REV10™



=

REV 3-SOME




REV SERIES REV 8"/10" HLCD

HLCD TOWER SPEAKERS



The Revolution Series continues with our **REV 8 & 10 HLCD** tower speakers, using our proprietary REV TEC™ technology. Unlike conventional designs, REV TEC technology provides remarkable volume and clarity, along with incredible, full-range sound quality at long distances - both on and off axis. The REV TEC design allows our REV series speakers to clearly project your favorite music up to 80 feet and beyond, without any loss of detail. Available in Gloss Black and Gloss White pairs.



Features


- Kevlar reinforced EFG™ cone woofers with polyurethane surround
- Pro-Axial™ Driver - Coaxially mounted Titanium Diaphragm High Output

Tech Spec.	REV8	REV10
Power RMS / Peak	200W / 400W	300W / 600W
Impedance (Ohms)	4Ω	4Ω
Frequency Response	20Hz - 20kHz	20Hz - 20kHz
Sensitivity @ 1W/m	92dB	92dB
Hang Height	11.74"	13.91"
Hang Weight	13 lbs	15 lbs

REV 8 HLCD



REV 10 HLCD



RECON SERIES PODS

COAXIAL TOWER SPEAKERS

The RECON 6 was specially designed for use with Wet Sounds STX micro amplifiers. The RECON Pods come with an integrated 360-degree clamp which allow for sturdy, tubular mounting on bars up to 2" diameter and can also be configured for surface mounting. The RECON 6 PODs all come with multi-color RGB's. Available in black and white pairs, with 3 grille options.

Clamp can be configured for pipe or surface mounting!



Features

- 60W RMS | 120W Peak Power
- Integrated 360-degree Swivel Clamp
- Fits up to a 2" Round Bar
- Adjustable Housing Ring to Mount Grille at Any Angle
- 2-Way Component-Style Coaxial w/ Aluminum Dome Tweeter
- Injection-Molded Composite Cone with Santoprene™ Surround



ICON SERIES ICON 8

COAXIAL TOWER SPEAKERS

The ICON Series is an extreme-performance tower speaker designed for those craving a full range, deep, mid-bass sound & clean, detailed highs in a smaller enclosure. The ICON 8 utilizes an 8" C³ (Continuous Curved Cone) mid-bass driver, with a grille-mounted, 1" Titanium tweeter.

Tech Spec.	ICON 8
Power RMS / Peak	150W / 300W
Impedance (Ohms)	4Ω
Frequency Response	20Hz - 20kHz
Sensitivity @ 1W/m	92dB
Hang Height	11.73"
Hang Weight	6.6 lbs



Available in Gloss Black and Gloss White pairs.

ZERO COAXIAL SPEAKERS

MOTORCYCLE/POWERSPORTS/MARINE



ZERO Series is a first of its kind innovation for Wet Sounds, taking the legendary REV tower speaker performance and reimagining it for optimal use in more confined spaces. These speakers can also be used with or without a twist-lock grille, making them ideal for both custom and OEM replacement applications.



ZERO 6 XZ-W

ZERO 8 XZ-B

Tech Spec.	ZERO 6	ZERO 8
Power RMS / Peak	100W / 200W	150W / 300W
Impedance (Ohms)	4Ω	4Ω
Frequency Response	65Hz - 20kHz	55Hz - 20kHz
Sensitivity @ 1W/m	90dB	91.5dB
Mounting Depth	2.72"	3.32"
Hole Cut Out	5.63"	7.36"

NEW
XY Yacht Grille



ZERO 6 XY-W

ZERO 8 XY-W

ZERO SERIES 6X9

MOTORCYCLE/POWERSPORTS/MARINE



ZERO 69 XZ-B

ZERO 69 XZ-B



ZERO Series 6x9 coaxial speakers were designed using the same unique features from the ZERO 6 & ZERO 8 coaxial speakers. Composed of a high-strength Nylas™ composite frame, Rigid PMGS composite cone, and horn-loaded tweeter to ensure superior strength and durability versus conventional speaker materials. Available in Gloss Black and Gloss White.

Features

- Kevlar reinforced EFG™ cone woofers with polyurethane surround
- Pro-Axial™ Driver - Coaxially mounted Titanium Diaphragm High Output

ZERO SERIES 5X7

MOTORCYCLE/POWERSPORTS/MARINE

Utilizing the same rugged construction as it's big brother, the ZERO Series 5x7 coaxial speakers were designed to fit in tight applications where a 6x9 is just too big. ZERO 57 XZ-B is a grille-less design, perfect for OEM type applications. Only Available in Black.

Tech Spec.	ZERO 5x7	ZERO 6x9
Power RMS / Peak	100W / 200W	150W / 300W
Impedance (Ohms)	4Ω	4Ω
Frequency Response	65Hz - 20kHz	55Hz - 20kHz
Sensitivity @ 1W/m	90dB	91.5dB
Mounting Depth	2.51"	3.22"
Hole Cut Out	7.29" x 5.03"	8.62" x 5.75"



ZERO 57 XZ-B

REVO COAXIAL SPEAKERS

COAXIAL SPEAKERS



The best Wet Sounds coaxial speaker yet! The REVO series coaxial speakers are designed to provide superior sound quality with amazing mid-bass and clarity at high volume. Wet Sounds REVO series speakers feature the only Santoprene™ spider in the industry - impervious to water saturation and dry rot. REVO coaxial speakers also include RGB lighting for endless color options. Available in Black and White pairs with 8 different grille options.



Tech Spec.	REVO 6	REVO 8	REVO CX10
Power RMS / Peak	100W / 200W	150W / 300W	350W / 700W
Impedance (Ohms)	4Ω	4Ω	2Ω
Frequency Response	40Hz - 20kHz	35Hz - 20kHz	35Hz - 20kHz
Sensitivity @ 1W/m	90dB	92dB	90dB
Mounting Depth	3.3"	3.95"	4.72"
Hole Cut Out	5"	7.1"	9.45"

Features

- RGB LED Tweeter Glow Kit included - choose your own custom color options
- Wet Sounds exclusive Nylas, high stiffness composite frame available in 6.5", 8" and CX 10"
- Industry's only Santoprene™ spider - impervious to water saturation and dry rot

REVO COAXIAL SPEAKERS

COAXIAL SPEAKERS



Grilles Available in 8 Styles



XS-B-SS



XS-W-SS



XS-G-SS



XS-S



SW-B



SW-W



XW-B



XW-W

RECON COAXIALS

COAXIAL SPEAKERS



The RECON Series will add great sound, and great style to your marine or powersports vehicle. Specifically designed for low power applications, featuring a full rubber Santoprene™ spider & surround suspension system, a light weight Nylas™ Nylon/Fiberglass Frame, as well as an injection-molded composite cone and high-output dome tweeter to give you the ultimate sound experience at a budget friendly price.



RECON COAXIAL MOUNTING DEPTH



Tech Spec.	RECON 5	RECON 6	RECON 8
Power RMS / Peak	50W / 100W	60W / 120W	70W / 140W
Impedance (Ohms)	4Ω	4Ω	4Ω
Frequency Response	40Hz - 20kHz	40Hz - 20kHz	45Hz - 20kHz
Sensitivity @ 1W/m	89dB	89dB	89dB
Mounting Depth	2.56"	2.42"	3.46"
Hole Cut Out	4.79"	4.92"	7.08"

RECON 6



RECON 6-S RGB



RECON 6 XW-W RGB




RECON 6-BG RGB

RECON 5



RECON 5-S

RECON 8



RECON 8-S RGB



RECON 8 XW-W RGB



RECON 8-BG RGB

REV 6X9 | REV 5X7

SURFACE MOUNTABLE ROTO-MOLD ENCLOSURE & GRILLE




SURFACE MOUNT SPEAKERS

The REV Surface Mount Enclosure is a Horn-Loaded Compression Driver (HLCD) enclosed in a durable, Roto-Molded, marine-grade surface mountable housing. This High-Output, compression-driven speaker delivers amazing sound throughout any application. Offered in both a 5x7 white housing and 6x9 with black or white housing, The REV surface mountable enclosures are a perfect under-gunnel fit, with full-range speakers for offshore and large scale boats. Sold in pairs.

Black Version:
REV 6X9 SM-B



White Version:
REV 6X9 SM-W




Tech Spec.	REV 5x7	REV 6x9
Power RMS / Peak	75W / 150W	150W / 300W
Impedance (Ohms)	6Ω	4Ω
Frequency Response	100Hz - 20kHz	20Hz - 20kHz
Sensitivity @ 1W/m	90dB	90dB
Hang Weight	7.8 lbs.	10.6 lbs.

ZERO SUBWOOFERS

MOTORCYCLE/POWERSPORTS/MARINE

Wet Sounds has developed a new subwoofer engineered specifically for delivering incredible bass performance in small, sealed enclosures. The parameters have been fine-tuned for "that sound" that everyone is looking for. It does it all while still retaining a mounting depth shallower than our traditional REVO subwoofers. These speakers can also be used with or without a twist-lock grille, making them ideal for both custom and OEM replacement applications.



Features

- Shallow Mount Design
- Composite Injection Molded Frame
- Twist-Lock Grilles hides mounting hardware
- Install with or without grille
- Optimized for the demanding environments
- Black & white version available

Tech Spec.	ZERO 10	ZERO 12
Power RMS / Peak	300W / 600W	400W / 800W
Impedance (Ohms)	4Ω	4Ω
Frequency Response	30Hz - 2kHz	25Hz - 2kHz
Sensitivity @ 1W/m	84.5dB	85.9dB
Mounting Depth	3.57"	3.72"
Hole Cut Out	9.24"	11.14"



see more on pg. 50

ZERO SUB ENC

ROTO-MOLD ENCLOSURE FOR ZERO SUBWOOFERS

Innovation at its core, the **ZERO SUB ENC** boasts a rugged roto-mold design, engineered to withstand the beat of your favorite tunes. ZERO enclosures can be mounted in multiple orientations thanks to its versatile design.

RECON SERIES SUBWOOFERS

10" SUBWOOFER

Introducing the RECON 10-inch subwoofer. The RECON 10 is optimized for infinite baffle-free air applications and designed to achieve maximum performance without requiring a tuned enclosure. Perfect for mounting under a seat and utilizing the cargo area as its enclosure. The RECON subwoofer utilize a Nylas composite frame, with an injection-molded composite cone and the Wet Sounds' signature Santoprene™ Spider. Bass made simple! Available with a Silver or Black RECON Grille or a White XW Grille to match any application.



RECON 10 FA-BG

RECON 10 FA-XW-W

RECON 10 FA-S

RECON 10
POWER (W): 200/400 (RMS/Peak)
IMPEDANCE: 4Ω
FREQ. RESPONSE: 40Hz - 20kHz
SENSITIVITY: 89dB @ 1W/m



REVO 12 PSE

REVO 12" PASSIVE SUBWOOFER ENCLOSURE

Time to take bass to the next level with the REVO 12 PSE. Utilizing our REVO 12 HP Subwoofer and 12" REVO Passive Radiator, this enclosure operates on the same principle as a ported enclosure while remaining sealed. The compact rotomolded enclosure comes pre-wired with weather proof speakers and RGB connections (Sub RGB kit sold separately). The enclosure mounts in various positions to meet any application, with quick-release mounts that simplify installation and removal.



Available with 8 different grille options.

REVO SUBWOOFERS

MARINE SUBWOOFER



For a complete audio experience, you cannot forget the bass! We have created what we believe to be the best marine-grade subwoofer on the market. The REVO series subwoofers utilize our exclusive Santoprene™ Spider to eliminate any saturation or dry rot, making them the perfect choice for your marine application. Available in 8", 10", and 12" options.

Available with 8 different grille options



- SW-B
Black SW
- SW-W
White SW
- XS-G-SS
Gunmetal Stainless Steel XS
- XS-B-SS
Black Stainless Steel XS
- XS-W-SS
White Stainless Steel XS
- XS-S
Silver XS
- XW-W
White XW
- XW-B
Black XW



REVO 8 FA



REVO 12 FA

REVO 10 FA


REVO 12-XXX SUBWOOFERS

MARINE 12" SPL SUBWOOFER

The REVO 12-XXX is the only SPL 12" marine-grade subwoofer in the world. Featuring a powder-coated, cast aluminum frame, with our blend of polypropylene/carbon fiber/glass fiber cone, coupled with a the massive magnetic system, high-roll Santoprene™ rubber surround and a 4" dual voice coil. The 12-XXX also features gold-plated binding posts, an integrated multi-part cooling system with a "T" yoke heat sink and pole-piece venting; ensuring high power and low voice coil temperatures for maximum reliability.

REVO 12-XXX SUBWOOFER

POWER (W): 1200/2400 (RMS/Peak)
IMPEDANCE: Dual 2Ω
FREQ. RESPONSE: 40Hz - 500Hz
SENSITIVITY: 88dB @ 1W/m
MOUNTING DEPTH: 6.53"
WEIGHT: 33.4 lbs




REVO 15-XXX

MARINE 15" SPL SUBWOOFER

REVO 15-XXX SUBWOOFER


POWER (W): 2000/4000 (RMS/Peak)
IMPEDANCE: Dual 2Ω
FREQ. RESPONSE: 35Hz - 500Hz
SENSITIVITY: 88dB @ 1W/m
MOUNTING DEPTH: 10.57"
WEIGHT: 71 lbs




shop online at www.wetsounds.com | call us toll-free 1.877.938.7757

AR-5 AUDIO ROOF

600W 5-SPEAKER AUDIO ROOF



Introducing the 600W 5-Speaker Audio Roof! This ready-to-go system was designed to provide powerful audio in a rugged roto-mold construction, while making installation a breeze. Not only does this roof sound amazing, but it also provides extra lighting where you need it most thanks to the front & rear LED light bars, as well as a LED cabin light.



Features

- 4-Channel Amplifier
- WS-MC-2 Media Player
- Front, Rear & Cabin LED Lighting
- Integrated RGB Speaker Lighting
- Option to add AR-AMP 2CH amp for additional speakers
- All new 8" high-output speakers & 12" subwoofer featuring new XZ style grille

Available Models

AR-5 Ranger Crew 2014+ Polaris® Ranger® Crew
 AR-5 Defender Max 2017+ Can-Am Defender Max



AR-AMP 2CH

FULL RANGE AUDIO ROOF 2 CHANNEL AMPLIFIER

Designed and engineered for AR Series roof systems. Expand your audio roof system. The audio roof system comes prewired to accept the AR-AMP 2CH for an easy plug and play installation. The optional AR-AMP 2CH is the perfect match to add on RECON 6 Pods, ICON8 Pods or REV8 Pods. Installation is simple hookup of power/ground, thanks to the pre-wired harness to get you going quick so you can get back on the trails and enjoy all your favorite tunes.



• Optional 2CH Amp allows for quick & simple installation for additional speakers, such as RECON 6 Pods, ICON/REV8



JEEP WRANGLER AUDIO KIT

FOR 2018-2023 JEEP WRANGLER



Adventure starts with good tunes, that's why Wet Sounds™ developed a fully integrated pre-packaged solution for the 2018-2023 Jeep Wrangler. It has been designed and engineered for factory fit & finish and features a plug-and-play wire harness, all installation hardware and DSP tuned amplifier(s) that will provide you with the best sounding experience jeep possible. Available in 2 options, a 1400W core kit to get your Jeep rockin' & an 800W tower kit for a combined 2200W of power for the ultimate jeep audio setup.

Features

- DSP Pre-Tuned Amplifier(s)
- Factory Style Wiring Harness
- Rotomolded Sub Enclosure - Liffable for Storage Access
- In-Dash Enclosures - OE Fit
- Stylish Grilles to Flow with the OEM Look
- Level Control for Subwoofer & Optional Towers
- Optional Tower Upgrade

Available Models

JEEP-JL-LVL1-C | Core Kit
JEEP-JL-LVL2-T | Tower Kit - Add On

JEEP WRANGLER AUDIO KIT

TOWER UPGRADE KIT

Take your new Jeep kit even further with the **JEEL-JL-LVL2-T** upgrade. With the tower upgrade, you'll get a pre-tuned SYN-DX DSP-OE amplifier, OE style wire harness with built-in RGB controller, TC-3 SXM clamps and a pair of REV 12 HD HLCD tower speakers, capable of up to 800W of pure mid-bass and highs that will take your Jeep game to the next level. Installation is simple, utilizing a factory fit bracket and our patent TC-3 SXM clamps to easily fasten or remove your speakers to keep a clean factory look when you need it.



JEEP AUDIO



JEEP-JL-LVL1-C

- (1) AMP Power Harness
- (1) Speaker Wire Harness
- (1) Distribution Block w/ Mounting Plate
- (1) 120A Fuse
- (2) Zero Series™ Tweeters w/ Trim Pieces
- (2) In-Dash Speaker Boxes
- (2) 6.5" Zero Series™ Component Speakers
- (2) 6x9" Zero Series™ Coaxial Speakers
- (2) 6x9" Mounting Rings w/ Grille Trim Pieces
- (1) Amp/Sub Mounting Plate w/ Hardware
- (1) Sub Enclosure w/ Struts
- (2) 12" Zero Series™ 2Ω Subwoofers
- (1) SYN-DX6-DSP-OE Pre-Loaded Amplifier
- (1) LVL Control Module

JEEP-JL-LVL2-T

- (1) AMP Power Harness
- (1) Tower Speaker Wire Harness w/ Built-in RGB
- (1) 100A Fuse
- (2) REV HD Mounting Adapters
- (2) TC3 SXM Tower Mounts
- (2) 12" REV HD HLCD Tower Speakers
- (1) SYN-DX4-DSP-OE Pre-Loaded Amplifier
- (1) Tower LVL Control Dial

STEALTH XT SOUNDBAR

ALL-IN-ONE AMPLIFIED BLUETOOTH SOUNDBAR WITH REMOTE



The all-new **Stealth XT Series** soundbar sets the bar once again for powersports soundbars. Sporting a rugged new look, Stealth XT models feature a 300W Class-D DSP Amplifier to deliver a clear, high-performance sound. With a new back-lit touch pad controller with built-in Bluetooth® connectivity that will allow the user to broadcast the audio with up to 3 additional Stealth XT soundbars within a 35' range to triple the sound. Enjoy your Stealth XT soundbar at night with RGB accent lights featuring 12 color modes to fit your mood, and just in case you need a little extra light, we got you covered with an integrated LED dome light.



STEALTH XT 6

4 marine-rated 3" full range drivers
2 marine-rated 1" tweeters
WEIGHT: 12 lbs

STEALTH XT 8

6 marine-rated 3" full range drivers
2 marine-rated 1" tweeters
WEIGHT: 15.2 lbs

STEALTH XT 12

8 marine-rated 3" full range drivers
4 marine-rated 3/4" tweeters
WEIGHT: 18.6 lbs



21.31" L



4.04" D



26.85" L



4.85" D



33.74" L

STEALTH XT SOUNDBAR

ALL-IN-ONE AMPLIFIED BLUETOOTH SOUNDBAR WITH REMOTE

Mounting is easy thanks to the Wet Sounds patented Fast Track sliding mount system, and integrated Power/Ground wire harness so you can enjoy more music and spend less time with mounting and wiring. The Stealth Series soundbars are designed to give every ATV, UTV, Golf Cart, Boat, and vehicle in your garage the ability to ride with a loud, live, and clear high performance audio solution.



300W Class-D Amplifier
FREQ. RESPONSE: 40Hz - 20kHz
Max Current Draw: 15A
Operating Voltage: 10V-16V
IP Rated: IP67

Features

- Weatherproof rated for all outdoor marine and powersports applications
- Advanced DSP-controlled Class-D amplifier delivering clear sound, improved mid-bass and low-end bass response
- Built-in Bluetooth® connectivity with source control
- Option to add AR-AMP 2CH amp for additional speakers
- Sync multiple XT soundbars to share audio
- Backlit control panel & RGB accent lights with 12 color mode
- Integrated LED dome light
- Complete power/ground wire harness with in-line 20A fuse
- 3.5 AUX Input for a wired connection
- 3.5mm line output (2V) to connect an additional external amplifier and speakers.
- IP67 rated RF wireless remote
- Universal L-brackets and spacers with hardware included
- Wet Sounds patented Fast Track sliding mount system

Universal Mounting

Aluminum L-bracket for end cap mounting.



Fast-track sliding mount system.



STEALTH ULTRA HD

UNIVERSAL SOUNDBAR



The STEALTH ULTRA HD Series Soundbars are designed to give every owner of a Boat, UTV, Golf Cart or virtually any other vehicle the ability to add High Performance Audio in a SIMPLE-TO-USE design. Made for the great outdoors, the STEALTH ULTRA HD Series Soundbars are designed to be simple & easy audio options for your vehicle. The STEALTH ULTRA HD Soundbars are a true High-Performance, 2-wire, 12 Volt stealth audio system!



REMOTE INCLUDED

■ Offered in black or white

Features

- Built-In Bluetooth Controller with Aux Input
- Built-In High Output, Advanced DSP Amplifier with D-Bass Tech
- Simple Plug & Play Installation
- Complete Wiring Harness (12') with L & Top Mount Brackets Included
- RF Wireless Remote Control Included
- IP67 Rated - protection from total dust ingress & water immersion up to 1m depth
- Extruded Aluminum Chassis and Grille with Powder Coated Finish

STEALTH AMPLIFIED SURGE

UNIVERSAL SOUNDBAR

Features

- Built-In High Output, Advanced DSP Amplifier with D-Bass Tech
- Ready to connect to an External Bluetooth Controller, Head Unit, or Additional ULTRA Soundbar
- IP67 Rated - Aluminum Chassis & Grille with Powder-Coated Finish
- Complete Wiring Harness (12') with L & Top Mount Brackets Included



STEALTH PASSIVE CORE

UNIVERSAL SOUNDBAR

The STEALTH Core passive Soundbars are the latest addition to the Wet Sounds STEALTH Family of products. The Wet Sounds CORE Soundbars are a passive version of our Soundbar that is the perfect addition to an existing stereo system. The STEALTH Core Soundbar is available in STEALTH-6 CORE with 6 drivers and Stealth-10 CORE with 10 drivers.




Universal Mounting

Aluminum L mount for end cap mounting.



Sliding top/bottom mount channel.



STEALTH AS-SUBS

ACTIVE SUBWOOFER ENCLOSURE

Tough and durable, the molded Polyethylene housings of the STEALTH AS-Subs are designed to withstand any harsh environment, while providing superior low-bass output. The built-in Class-D amp is sealed against moisture and dirt intrusion for extra protection against the elements. All STEALTH-AS Subwoofers have been designed with simple connections for plug & play installation. The AS Subwoofer series are the perfect match for Wet Sounds STEALTH Ultra HD Soundbars, or any other application where you need to add bass.



SINISTER SDX

SINISTER AMPLIFIERS

The Sinister range of amplifiers are the highest-power marine amplifiers on the market. Utilizing Wet Sounds-exclusive MAXED™ Class-D Power Supplies, internal rectifier outputs and 4-layer circuit boards. What this means to you: uncompromised performance, outstanding sound quality, less current draw, less strain on your electrical system and less heat generated allowing you to play all day.



Tech Spec.	SDX-2	SDX-4	SDX-6	SDX-2500
Amp Channels	2	4	6	1
Stereo @ 4 Ohms	400W x 2	185W x 4	185W x 6	1000W x 1
Stereo @ 2 Ohms	620W x 2	340W x 4	290W x 6	1700W x 1
Mono @ 4 Ohms	1250W x 1	685W x 2	585W x 3	X
Mono @ 1 Ohm	X	X	X	2500W x 1
Dimensions (LxWxH)	10.25 x 14.5 x 3			10.25 x 22.12 x 3

SYN-DX

SYN-DX MARINE AMPLIFIERS

Wet Sounds SYN-DX Series Marine Amplifiers are designed to be the amplifier of choice for every high-end marine audio system. SYN-DX amplifiers use advanced circuitry, high-quality components, oversized outputs and efficient Class-D Power Supplies.



Tech Spec.	SYN-DX2	SYN-DX4	SYN-DX 2.3 HP
Amp Channels	2	4	2
Stereo @ 4 Ohms	200W x 2	125W x 4	300W x 2
Stereo @ 2 Ohms	375W x 2	200W x 4	600W x 2
Mono @ 4 Ohms	750W x 1	400W x 2	1200W x 1
Mono @ 1 Ohm	X	X	X
Dimensions (LxWxH)	8.52 x 12.21 x 3	8.52 x 10.63 x 3	8.52 x 14.75 x 3

Tech Spec.	SYN-DX6		
Amp Channels	6		
Ch. 1-4: Stereo @ 4 Ohms	125W x 4	Ch. 5-6: Stereo @ 4 Ohms	150W x 2
Stereo @ 2 Ohms	200W x 4	Stereo @ 2 Ohms	300W x 2
Mono @ 4 Ohms	400W x 2	Mono @ 4 Ohms	600W x 1
Dimensions (LxWxH)	8.52 x 14.75 x 3		

HTX AMP

HYDRO-TECH™ X (HTX) SERIES AMPLIFIER

HTX amplifiers use superior-performance circuitry and utilize Class-D Power Supplies. These amplifiers have extreme power output, thermal overload protection and flexible crossovers - all packed inside a small chassis. HTX Amplifiers are a well-balanced match for all Wet Sounds™ products.




Tech Spec.	HTX-1	HTX-2	HTX-4	HTX-6
Amp Channels	1	2	4	6
Stereo @ 4 Ohms	330W x 1	150W x 2	100W x 4	100W x 6
Stereo @ 2 Ohms	650W x 1	300W x 2	150W x 4	150W x 6
Mono @ 4 Ohms	X	600W x 1	300W x 2	300W x 3
Mono @ 1 Ohm	X	X	X	X
Dimensions (LxWxH)	7.34 x 10.03 x 3			7.34 x 13.69 x 3

STEALTH STX MICRO

COMPACT CHASSIS CLASS-D MARINE AMPLIFIER

The STX Micro-1 and STX Micro-4 amps were designed for the Power Sports enthusiast. These small yet powerful amplifiers are designed with a completely sealed, die cast aluminum chassis for maximum protection against water and dirt intrusion. Both STX models are outfitted with 3.5 mm signal-input connections, and work seamlessly with our Bluetooth controllers or direct connection to most smartphones' headphone jack.



Tech Spec.	STX-1	STX-4
Amp Channels	1	4
Stereo @ 4 Ohms	250W x 1	80W x 4
Stereo @ 2 Ohms	420W x 1	130W x 4
Mono @ 4 Ohms	X	280W x 2
Mono @ 1 Ohm	600W x 1	X
Dimensions (LxWxH)	4.02 x 9.11 x 1.85	



AMPLIFIERS

HTM SERIES

FULL RANGE CLASS-D AMPLIFIERS

Wet Sounds™ HTM Series Amplifiers are designed to be a complete solution for every type of extreme application. HTM amplifiers have a **Full Range** capability & use superior performance circuitry by utilizing Class-D Power Supplies. These amplifiers have extreme power output packed inside a small chassis, thermal overload protection, flexible crossovers, extended inputs.



NEW FOR 2024

Available Models
HTM-1 **HTM-8**

Features

- Full Range Audio Capability
- Selectable X-Over – High-Pass / Low-Pass / Full Range
- Removeable Power/SPKR Connectors
- Blue LED Back-Lit Badge on with Power
- Reduced height from previous HTX models
- Badging can be Mounted Horizontal or Vertical
- Optional Mounting Feet for Raising Amp from Mounting Surface

IP5 Rated
Sealed to keep music playing, and water out!

Full Range Capability!




HTM SERIES

FULL RANGE CLASS-D AMPLIFIERS




AMPLIFIERS



Tech Spec.	HTM-1
Amp Channels	1
Mono @ 4 Ohms	500W x 1
Mono @ 2 Ohms	800W x 1
Mono @ 1 Ohm	1200W x 1
X-Over Range	50 Hz - 500 Hz
S/N (Awtg. MAX Output)	105 dB
Freq. Response -3dB	20 Hz - 20 kHz
Input Sensitivity	350 mVrms - 6 Vrms
Sub Sonic	10 Hz - 55 Hz
Dimensions (LxWxH)	9.62 x 2.35 x 5.80

Tech Spec.	HTM-8
Amp Channels	8
Stereo @ 4 Ohms	85W x 8
Stereo @ 2 Ohms	150W x 8
Bridged @ 4 Ohm	300W x 4
X-Over Range	50 Hz - 500 Hz
S/N (Awtg. MAX Output)	95 dB
Freq. Response -3dB	20 Hz - 20 kHz
Input Sensitivity	350 mVrms - 6 Vrms
Sub Sonic (Ch. 7/8)	10 Hz - 55 Hz
Dimensions (LxWxH)	12.77 x 2.35 x 5.80



* Shared Dim w/ all HTM Models.

*2.35"
(59.84 mm)



WS-TB-MIC

TALKBACK MICROPHONE WITH ADJUSTABLE MIC GAIN

The WS-TB-MIC talk back microphone is a cutting-edge solution resulting from our commitment to innovation. Designed as a sleek and user-friendly enclosure, this product seamlessly integrates with our existing microphone, equipped with RCA Line in / Line out connections. With the WS-TB-MIC talk back microphone, drivers gain an effective means of communication with riders and nearby vehicles. By simply pressing the button on the microphone, the system promptly mutes any ongoing music playback from the interrupted channels, allowing them to be utilized as a highly efficient Public Address (PA) system.



WS-TB-MIC

- Small Compact Design
- Adjustable Mic Volume Controller
- Conformal Coated Electronic Components
- Audio Mutes & Resumes on Connected Channel Automatically for Easy Communication

EQ LEVEL CONTROL



EQ DASH MOUNTS



Available in Black:
WS-EQ IDM-B
WS-EQ UDM-B

BLUETOOTH CONTROLS

With Wet Sounds Bluetooth controllers, you now have 4 different options to add Bluetooth control to your system. Adjust the volume, as well as track playback in 4 different ways! Our entire line-up is sealed for both Marine and Powersport use. Wet Sounds Bluetooth controllers are the easiest and most cost-effective way to add Bluetooth to any audio system!



BLUETOOTH CONTROLLERS



WW-BT VC
Bluetooth
Volume Control



WWX-DZ-BT
Dual-Zone
Bluetooth Controller



WW-BT UR
UNIVERSAL
Bluetooth Receiver



WW-BT RS
Bluetooth
Rocker Switch

AL-SR-V2

S/R KIT 2.4 GHZ SEND AND RECEIVE AUDIO LINK KIT



Wet Sounds A-Link plus is the world's first, full-wireless audio link system. With a new design & improved performance, you can broadcast from your system to multiple audio systems with an AUX input up to 1,600 feet. You do not need Bluetooth or Wi-Fi! Each A-LINK plus module can SEND or RECEIVE. When linking multiple units together, you will be able to create the ultimate party atmosphere no matter where you are on your boat, ATV, golf cart or any other vehicle. The Link plus is a must-have for any boat tie up!

Features

- No Bluetooth or Wi-Fi connection needed
- Operational Range – Approximately 1,600 feet
- 3.5mm Connection cables & Y-adaptor included
- Each A Link Unit can be programmed to either SEND or RECEIVE
- Multiple A Links can be set up to receive from 1 A Link Sender
- Sender Standby Battery Time: 5.5 Hours
- Receiver Standby Battery Time: 9.5 Hours
- Dual Micro USB Charging Cable Included




GOLF CART HARNESS

WET SOUNDS GOLF CART HARNESS




The Wet Sounds Golf Cart 4-Speaker Wiring Harness allows easy installation of a four speaker system to your 4-seater golf cart without the headache of running all new wiring for all your hookups. The GC-H4S harness comes complete with plug-n-play connections that plug directly into your Wet Sounds REVO or RECON speakers. Including the RGB connections, as well as plug-n-play connections for power for the Wet Sounds MC-2 head unit and Stealth AS Series subwoofer.



GOLF CART AMPLIFIER KIT

WET SOUNDS AMPLIFIER KIT

Introducing the new Wet Sounds Golf Cart Amp Kit. This kit will allow for an easy installation of the STX Micro-4 amplifier on a golf cart when using the Wet Sounds (GC-H4S) Golf Cart 4-Speaker Wiring Harness. Utilizing 10 AWG power and ground wire, in-line fuse holder with 60-Amp Maxi type fuse, pre-crimped copper alloy ring terminals, wrapped in braided sleeving for a clean, professional look. Also included is a T-harness for easy connection with the Wet Sounds MC-2 or MC-20 radio that includes 20 AWG pigtail wiring for speaker connections on the STX Micro-4 amplifier.



- Features**
- 10 AWG power
 - In-line fuse holder
 - 60 Amp Maxi type fuse

GC-AMP-KIT

Compatible with:

- GC-H4S (golf cart harness)
- STX Micro 4 Amp
- WS-MC-2
- WS-MC-20



VENUE SERIES OUTDOOR

HLCD OUTDOOR SPEAKERS



The VS-8 PRO utilizes Wet Sounds' Horn Loaded Compression Driver (HLCD) technology, combined with a reinforced composite mid-bass driver, and features 4Ω and 70v adjustable tap settings, including 40W, 80W, 120W & 160W. The VS-8 PRO provides a balanced sound for large, open-air environments. The weatherproof enclosure features Wet Sounds' reaction technology, consisting of opposing dual aluminum passive radiators to deliver superior bass response.

Features

- Horn Loaded Compression Driver Technology (HLCD)
- 4Ω and 70v adjustable tap settings
- Adjustable tap settings including 40W, 80W, 120W & 160W
- Dual aluminum passive radiators
- Easily mount in horizontal or vertical position
- Rotatable Wet Sounds logo to match orientation

Designed for surface or landscape applications (with optional VS-LS-SP ground spike), the **VS-69 PRO** provides 150W of incredible sound coverage. Utilizing Wet Sounds' Horn Loaded Compression Driver (HLCD) technology paired up with a durable reinforced composite 6x9" mid-bass driver, a single aluminum passive radiator, provides a well balanced sound with crystal clear vocals, and a superior bass response. The VS-69 PRO can be surface mounted using the included bracket hardware, or can be mounted throughout your landscape with the optional VS-LS-SP ground spike. It can also be mounted atop of the VS-12 LS-SUB for added low end bass.

Features

- Horn Loaded Compression Driver Technology (HLCD)
- 4Ω and 70v adjustable tap settings
- Adjustable tap settings including 10W, 20W, 40W & 80W
- Single aluminum passive radiators
- Easily mount in horizontal or vertical position
- Landscape installation with VS-LS-SP
- Rotatable Wet Sounds logo to match orientation



VENUE SERIES OUTDOOR

SHALLOW MOUNT CEILING SPEAKER

Specifically designed and engineered for any shallow mount or in-ceiling application, the Venue Series VS-SMC-65 is the perfect addition to your home audio system. Driven by a 6.5" composite mid-bass driver and 1" PEI dome tweeter, the VS-SMC-65 delivers a live concert experience to your indoor/outdoor area. The VS-SMC-65 also features a paintable grille that can be colored to match your ceiling or application. Thanks to the high-strength composite construction, you can enjoy Venue inside or outside for the ultimate live concert experience.



VS-LS-SP

LANDSCAPE GROUND SPIKE

The Wet Sounds Venue Series Landscape Spike for the VS-69 PRO allows you to install the speakers in the ground with a landscape system and adjust the speaker angle for broad coverage. Conventional landscape speakers use multiple small drivers, spaced around an outdoor area. With a VS-69 PRO landscape install, you have the ability to increase output and coverage with fewer speakers.



Tech Spec.	VS-SMC-65
Speaker Size	6.5"
Power RMS / Peak	50W / 100W
Impedance (Ohms)	8Ω
Frequency Response	55Hz - 20kHz
Sensitivity @ 1W/m	88dB
Available Colors	White

VS-8 PRO-W

VS-8 PRO-B

VENUE SERIES OUTDOOR

12" LANDSCAPE IN-GROUND SUBWOOFER



The Wet Sounds Venue Series Landscape Sub is a 12" high-output bandpass subwoofer system designed for in-ground use. The fully-composite enclosure combined with a weatherproof port cap delivers low-bass extension and output to rival an outdoor concert. The vertical stack design allows for easy installation. The LS-SUB can be combined with any of the Wet Sounds Venue speakers to create that live music experience at home.



VS-12 Sub Features Include:

- High strength composite housing
- Internal 300W 12" subwoofer mid-bass driver
- Designed for in-ground use
- Weatherproof port cap to deliver low-bass notes
- Includes mount for VS-69 PRO (for in-ground installation)
- Optimized for the demanding outdoor environments

Tech Spec.	VS-12 LS-SUB
Speaker Size	12"
Power RMS / Peak	150W / 300W
Impedance (Ohms)	8Ω
Frequency Response	20Hz - 200Hz
Sensitivity @ 1W/m	90dB
Available Colors	Black

VENUE SERIES OUTDOOR

110V 1200W 4-CHANNEL AMP W/ ENCLOSURE

The VS-1200-AMP was specifically designed to power Venue Series products while utilizing a 110v power source. The VS-1200 amplifier features include preset selectable gain controls and selectable low pass filter. Speaker wiring is fast and easy with watertight quick connectors. Included is the VS-LS-ENC, a purpose-built landscape enclosure designed to house the Wet Sounds VS-1200-AMP with a plug and play media center, such as the Sonos Port (not included), in harsh outdoor environments. Includes a cooling fan, internal 110v power outlets, and an external 110v cord for easy installation.



VENUE SERIES
OUTDOOR

VS-AMPLIFIER SYSTEM-4

110V 1200W 4-CH AMPLIFIER W/ ENCLOSURE



Tech Spec.	VS-1200-AMP
Power RMS @ 2Ω	4 x 300W
Power RMS @ 4Ω	4 x 200W
Frequency Response	5Hz - 20kHz
Low Pass Filter	100Hz
Operating Voltage	90VAC - 240VAC
Input Sensitivity	0.2 - 2V



VS-LS PRO PACKAGE


COMPLETE OUTDOOR AUDIO PACKAGE

Package Includes:

- (2) VS-12 LS-SUB In-ground Landscape Subwoofers
- (1) Pair of VS-69 PRO-BLACK HLCD Speakers
- (1) VS-1200-AMP 4-Ch. 110v Amplifier
- (1) VS-LS-ENC Outdoor Enclosure
- Includes mount for VS-69 PRO (for in-ground sub installation)
- Optimized for the demanding outdoor environments

STEALTH SHIVR-55

SHIVR-55 STEALTH 6 COOLER



SHIVR SKINZ

FOAM-TRACTION KITS

Fully customize your SHIVR-55 with a Foam-Traction Kit. Available in two different kits: Standard and Deluxe. Both kits are available in 4 different color options for you to personally customize your SHIVR-55.



The first ever of its kind! 58-quart (55-liter), premium SHIVR® Cooler w/built-in 200 watt 6-speaker system. Complete with lithium-ion battery pack. Plays for over 8 hours - enough for any tailgate, picnic or patio party. Available in 5 different colors.




58 QUART CAPACITY



Features

- Built-in Bluetooth®
- Auxiliary Input/Output
- AC Charger included & 12 Volt Charger
- Double-Wall Insulation
- Stealth 6-Speaker System with DSP
- Lockable Lid
- Capacity: 55 Liters/58 Quarts
- Built-in Lithium-Ion Battery Pack (Up to 8 hours of play time)
- Rope Carry Handles and Rubber Latches
- W - 18.5" H - 18.5" L - 30"



Connectivity

The SHIVR-55 can be connected in multiple ways: Bluetooth, Auxiliary cord or (new a-link plus). The diagram to the right shows you the connections being used.

Available Colors



Amplifier: Built-in 200W Amplifier
Operating Voltage: 12V

Frequency Response: 40Hz - 20kHz
IP67 Rated: Protection from total dust ingress & immersion at up to 1m depth

PROTECT & CUSTOMIZE YOUR SHIVR!



SHIVR COOLER SKINZ

4 Color Combinations

GRAY/BLACK



SHIVR 55 GS Top Kit Grey Over Black

BLACK/GRAY



SHIVR 55 GS Top Kit Black Over Gray

WHISKEY/BLACK



SHIVR 55 GS Top Kit Whiskey Over Black

BLACK/WHISKEY



SHIVR 55 GS Top Kit Black Over Whiskey



Deluxe Kit

5 piece set: Top, Front, Back and Right/Left Sides




Standard Kit

1 Piece set: Top Only

ZERO SUB ENC

ROTO-MOLD ENCLOSURE FOR ZERO SUBWOOFERS

Innovation at its core, the **ZERO SUB ENC** boasts a rugged roto-mold design, engineered to withstand the beat of your favorite tunes. ZERO enclosures can be mounted in multiple orientations thanks to its versatile design. Easily connect multiple enclosures with the included side insert for even more bass, so you can use one, or use multiple, the choice is yours. The rugged design also provides structural support for the sub woofer to keep you tunes sounding their best.



Shown conjoined, with **ZERO ENC** you can securely combine multiple enclosures with the included **Side Insert**.

**NEW FOR
2024**


ZERO ENC

- Heavy-Duty Roto-Molded Enclosure
- Versatile Mounting Design
- Quick Connect Wiring Harness
- Structural Support for Subwoofer
- Designed for Joining Multiple Enclosures

WET WIRE

SPOOLED WIRE / RCA CABLES

Power wire, RCA cables, junction blocks and fuse panels that resist the elements. Complete your system with wire and accessories designed specifically for marine and off-road applications. **Visit our website to see the complete line of wire spools and other wire accessories.**



- Spooled Frosted Bulk Wire
- True AWG Gauge Amp Wire

Wire Spools Available

Power Ground	
WWX-1/0 RED-50	WWX-1/0 BLK-50
WWX-4G RED-125	WWX-4G BLK-125
WWX-8G RED-250	WWX-8G BLK-250
Speaker Wire	
WWX-SPK 12G-250	WWX-SPK 14G-250
Combo RGB Wire	
WWX-RGB 22G-150	WWX-3PRM-150
WWX-SPKR/RGB Combo-150	



RCA CABLES

110V 1200W 4-CH AMPLIFIER W/ ENCLOSURE

RCA Cables Available

WWX-RCA-6CH 5FT	WWX-RCA-6CH 17FT
WWX-RCA-6CH 12FT	WWX-RCA-6CH 23FT
WWX-RCA-4CH 17FT	WWX-RCA-2CH 1.5FT
WWX-RCA-2CH 5FT	WWX-RCA-2CH 12FT
WWX-RCA-2CH 17FT	WWX-RCA-2CH 23FT

Split/Adapter Cables Available

WWX-RCA M-2F Y	WWX-RCA F-2M Y
WWX-RCA-3.5mm 2FT	



WWX-RCA F-2M Y
RCA Y-Adapter Female to Male

- 2 - 6 Channel Quad Shielded
- High Contact RCA Tips
- Over Molded Jackets
- Individual Numbered Channels

POWER DISTRIBUTION

- Enhanced Body Styling
- Versatility to use in many Applications
- Wire Fastening Points
- Adjustable Badge Orientation



ANL 200 Fuse

ATC 8G Fuse



WET WIRE
ACCESSORIES

LED ACCESSORIES

RGB RINGS, GRILLES & CONTROLLERS

TOWER ADAPTERS

ADAPTABLE TO WET SOUNDS TOWER SPEAKERS

Set the mood with RGB lighting from Wet Sounds. Find just what you need with a selection of RGB LED rings, Translucent Grilles, and RGB Controllers to transform your evening outings on the water or the trails.

- Direct-Mount compatible with REV8X, REV10X, ICON8X
- Full-Swivel quick-release compatible with REV8SC, REV10SC, ICON8SC (using TC3-S removable base plate)



TOWER ADAPTERS



NEW FOR 2024

RGB CONTROLLERS



RF-RGB-MC V2


WWX-RGB-RS

TRANSLUCENT GRILLES

Available for: REV8
REV10
REV 410

LED RING KITS

Available for: REVO/RECON 6
REVO/RECON 8
REV/ICON 8
REV 10/410
REVO 10/12 SUBS



WS-4Z-RGB KIT

SPEAKER SUITZ

Durable Neoprene covers for Wet Sounds REV/ICON Series tower speakers. Zippered closure, convenient carrying handles, and white silk-screened logo on the front. Speaker Suits offer protection during travel or storage.



SPEAKER SUITZ

Available for: REV 410
REV8/REV10
REV 10 HD/REV 12 HD

NAUTIQUE-FC5-L



NAUTIQUE-ADP G



NAUTIQUE-FC5-U



SUPRA FX ONE



ADP MALIBU G3 SINGLE



ADP MALIBU G3 DUAL



MASTERCRAFT MC-11



CENTURION GLADIATOR



TOWER CLAMPS

The perfect clamp for your Wet Sounds products. Available in Fixed, Swivel and X-Mount models. All clamp options are available on wetsounds.com



TC3-S



TC3-S-SXM



TC3-F

TC3-F Stainless Steel Fixed Bracket Mount

- Specifically for tube diameter 1 7/8" to 3"
- Compatible with REV, REV HD & ICON

TC3-Swivel Stainless Steel Clamp

- Specifically for tube diameter 1" to 1 7/8"
- Compatible with REV, REV HD & ICON

Silver, Aluminum Clamp

- Compatible with REV8, REV10, REV HD & ICON8

REV X-Mounts

- Compatible with REV8, REV10 & ICON8

REV HD X-Mounts

- Compatible with REV 10/12 HD



CLAMP PATENTS wetsounds.com/patents
U.S. Utility Patent No. 8,568,162;


See more at wetsounds.com



#WETLIFE



THE ULTIMATE AUDIO EXPERIENCE



High Performance Audio



Like & Follow Us Online!

www.wetsounds.com



WARNING:

Cancer and Reproductive Harm
www.P65Warnings.ca.gov

© 2024 Wet Sounds, Inc. All Rights Reserved. WET SOUNDS and associated logos where applicable are registered trademarks of Wet Sounds Corporation in the United States and/or other countries. All other trademarks are the property of their respective owners. Product information may change without notice. Please visit wetsounds.com for the most recent product information and complete tech specs. For technical questions, email info@wetsounds.com or call 877-938-7757.